


- Specification Grade
- UL Listed
- CRI 95+
- 2-Step MacAdam's ellipse, single binning
- Reverse voltage protection
- L70- Over 50,000 hours
- R9 up to 97
- Minimum 2oz copper PCB







TECHNICAL DATA

Model	IP protection	Power consumption	Color temperature	Lumen output	Diode QTY per foot	Input voltage	Beam Angle	Max run length	LED width
K-CR-22-1820-HD-24V	IP 20	5.6 W/ft	2200 K	338 lm/ft	81 pcs/ft	24 V	120 °	16'4"	10 mm
K-CR-25-1820-HD-24V	IP 20	5.6 W/ft	2500 K	453 lm/ft	81 pcs/ft	24 V	120 °	16'4"	10 mm
K-CR-27-1820-HD-24V	IP 20	5.6 W/ft	2700 K	412 lm/ft	81 pcs/ft	24 V	120 °	16'4"	10 mm
K-CR-30-1820-HD-24V	IP 20	5.6 W/ft	3000 K	492 lm/ft	81 pcs/ft	24 V	120 °	16'4"	10 mm
K-CR-35-1820-HD-24V	IP 20	5.6 W/ft	3500 K	503 lm/ft	81 pcs/ft	24 V	120 °	16'4"	10 mm
K-CR-40-1820-HD-24V	IP 20	5.6 W/ft	4000 K	527 lm/ft	81 pcs/ft	24 V	120 °	16'4"	10 mm
K-CR-50-1820-HD-24V	IP 20	5.6 W/ft	5000 K	464 lm/ft	81 pcs/ft	24 V	120 °	16'4"	10 mm


WIRE OPTIONS

36"-72" wire leads (20 gauge jacketed wire)




TM-30 DATA

22K CCT




Hue Bin	Rf	Chroma	Hue
1	96	-1	0.00
2	96	0	0.02
3	96	1	0.01
4	96	1	0.00
5	95	3	0.02
6	93	5	0.02
7	94	3	-0.02
8	95	2	-0.01
9	96	1	-0.01
10	98	1	0.00
11	96	3	0.01
12	92	4	-0.03
13	93	2	-0.07
14	85	-1	-0.14
15	92	-1	-0.05
16	92	-2	-0.05

25K CCT




Hue Bin	Rf	Chroma	Hue
1	96	-1	0.00
2	98	-1	0.00
3	97	0	0.01
4	94	-3	-0.02
5	96	-2	0.01
6	96	1	0.02
7	97	-1	0.01
8	99	0	0.01
9	96	0	0.03
10	94	0	0.04
11	93	3	0.04
12	93	3	0.01
13	94	3	-0.05
14	90	1	-0.06
15	93		-0.03
16	93	-1	-0.04

27K CCT




Hue Bin	Rf	Chroma	Hue
1	95	-1	0.01
2	97	0	0.00
3	97	0	0.00
4	91	-5	-0.03
5	95	-4	0.00
6	96	-1	0.02
7	94	-3	0.03
8	96	-1	0.02
9	92	0	0.05
10	91	1	0.05
11	91	5	0.05
12	93	5	0.01
13	94	2	-0.06
14	90	0	-0.06
15	92	0	-0.02
16	93	01	-0.04

30K CCT




Hue Bin	Rf	Chroma	Hue
1	95	-1	0.01
2	97	0	0.00
3	96	0	-0.01
4	91	-5	-0.04
5	95	-4	0.00
6	96	-1	0.02
7	94	-2	0.03
8	96	0	0.03
9	94	1	0.04
10	96	2	0.04
11	92	5	0.03
12	93	4	-0.01
13	92	1	-0.06
14	92	1	-0.04
15	91	1	-0.02
16	94	0	-0.04

35K CCT




Hue Bin	Rf	Chroma	Hue
1	96	-1	0.01
2	98	0	0.00
3	97	0	0.00
4	94	-3	-0.01
5	94	-4	0.00
6	96	-1	0.01
7	96	-1	0.01
8	98	-1	0.01
9	94	-1	0.04
10	90	0	0.07
11	90	3	0.07
12	92	5	0.03
13	96	1	-0.02
14	94	4	-0.03
15	90	2	-0.03
16	93	1	-0.05

40K CCT



Hue Bin	Rf	Chroma	Hue
1	96	-1	0.00
2	98	0	0.00
3	95	0	0.01
4	93	-2	0.00
5	93	3	0.01
6	97	0	0.00
7	93	-3	0.02
8	97	-1	0.00
9	93	-1	0.05
10	87	0	0.08
11	88	3	0.10
12	90	5	0.04
13	97	2	-0.01
14	93	5	-0.02
15	90	4	-0.04
16	95	0	-0.02

50K CCT



Hue Bin	Rf	Chroma	Hue
1	96	-1	-0.01
2	97	-1	0.00
3	94	0	0.03
4	93	-1	0.02
5	92	0	0.02
6	96	2	0.00
7	95	0	-0.01
8	96	-1	-0.01
9	95	-2	0.02
10	87	-2	0.07
11	85	1	0.12
12	87	4	0.07
13	95	3	0.02
14	92	6	0.00
15	90	6	-0.04
16	93	2	-0.03