

Project Name

Location

Prepared By



## SATCO S8678

6.5MR16/LED/25°/40K/120V/GU10

### Notes

[www] 06-27-2021 00:19:13

### General

Status	Active
Watts	6.5W
Incandescent Equivalent	50W
Volts	120V
Shape	MR16
Base	Bi Pin GU10
ANSI Base	GU10
Finish	White
CCT (Kelvin)	4000
Temperature	Cool White
CRI	80
Lumens	500L
Beam Spread	25
Dimmable	Yes-Dimmable
Hours Rated	25000
Lamp Type	MR
Technology	LED

### Electrical

Operating Frequency	60 Hz
CBCP	1100
Spot Type	NFL - Narrow Flood
Dimming Type	Forward Phase or Reverse Phase or Phase Selectable or Triac
Power Factor	0.92
Operating Temperature	-25C (-13F) to a maximum of +45C (+113F)

### Physical

MOL	2.28
MOD	1.97
Lensed	Lensed Lamp
Lens Finish	Array
Housing Color	White
Weight (lb.)	0.1

### Additional Information

Additional Info	Dimming Type-forward phase and reverse phase; Lens Material-Plastic; Number of LEDs-6; LED Chip Type-2835 12V; FCC Compliant
Rated For Enclosed Fixture	Yes
Warranty	5 Year Limited - 10 hr per day

### Compliance

Safety Listing	cULus
Location Rating	Damp
Energy Star	No
California Status	Lawful for sale
RoHS Compliant	Yes
FCC Compliant	Yes
SDS Sheet	LED_Lamp

