MODERN FORMS®

Multi-Lights 6
Chandeliers & Pendants 24
Indoor Sconces 126
Bath & Vanity 166
Flush Mounts 210
Exterior Ceilings 238
Exterior Sconces 246
Post Mounts 298
Task & Picture Lights 312

EXPLORE

MODERN FORMS COLLECTIONS

Our innovative luminaires epitomize the Modern Forms promise: to offer elevated lighting designs with breakthrough technology at its core. Every piece is effortless, uncomplicated and honest in its execution, seductive in its shape and created from upscale, luxury materials.

FINISHES AVAILABLE

Aged Brass
AB


Aged Brass/Gold Leaf
AB/GL

Brushed Aluminum
AL


Antique Nickel
AN

Black
BK

Black/Aged Brass
BK/AB

Pebbled Black/Antique Nickel
BK/AN

Black/Brushed Nickel
BK/BN

Black/Dark Walnut
BK/DW

Black/Gold Leaf
BK/GL


Black/Aged Brass-Black
BK/AB-BK

Brushed Nickel
BN


Brushed Nickel
BN/SL


Brushed Brass
BR


Basalt Stone/Aged Brass
BV/AB

Basalt Stone/Black
BV/BK


Warm Brown/Aged Brass
BW/AB

Bronze
BZ


Bronze/Brushed Brass
BZ/BR


Bronze/Gold Leaf
BZ/GL


Graphite
GH

Gold Leaf
GL

Gold
GO

Polished Black Nickel
NB

Polished Black Nickel/Black
NB/BK

Oil Rubbed Bronze
ORB

Polished Nickel
PN

Silver Leaf
SL


Smoked Glass/Aged Brass
SM/AB

Smoked Glass/ Brushed Nickel
SM/BN

Satin Nickel
SN

Titanium
TT


White Marble/Brushed Nickel
WT/BN


Beige Travertine/Aged Brass
WV/AB

MODERN FORMS MULTI-LIGHTS

Modern Forms presents our collection of multi-light fixtures, which incorporates multiple pendants installed onto one square, round or linear canopy. These pendants are arranged in various configurations on a single canopy to create an artful statement as well as deliver ample lighting to spaces throughout a home or business.

LINEAR CANOPY
14 & 23 LIGHTS

SQUARE CANOPY
13, 25 & 41 LIGHTS



ROUND CANOPY
3, 5, 9, 15 & 21 LIGHTS



CINEMA P.8 | CASCADE P.10 | CHAOS P.12 | DOUBLE BUBBLE P.14 | KILT P.16 | MAGIC P.18 | MINX P.20 | PISCES P.22

MULTI-LIGHTS

LINEAR
CANOPY

PD-30814L



PD-30823L

SQUARE
CANOPY

PD-30813S



PD-30825S



PD-30841S

ROUND
CANOPY



PD-30803R



PD-30805R



PD-30809R

PD-30815R

PD-30821R

CINEMA

NEW

*See complementary piece on page 36, 86, and 190

DAMP · CCT · CALIFORNIA JA8 TITLE 24

- V-cut K5 seedy crystal
- Thin, powered aircraft cables provide an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

CCT	CRI	Voltage	Dimming	Rated Life
3000K	90	120/277V	ELV TRIAC	50,000 hours

Model No.	# of lights	Canopy	Wattage	LED Lumens	Delivered Lumens	Finish	Suspension MIN	Suspension MAX
PD-30814L	14 lights	Linear	95W	4,872	4,062	**AB, BK**	20"	190"
PD-30823L	23 lights		156W	8,004	6,673			
PD-30813S	13 lights	Square	75W	4,524	3,771	**AB, BK**	20"	190"
PD-30825S	25 lights		156W	8,700	7,253			
PD-30841S	41 lights		280W	14,268	11,894			
PD-30803R	3 lights	Round	20W	1,253	932	**AB, BK**	20"	190"
PD-30805R	5 lights		35W	1,788	1,491			
PD-30809R	9 lights		56W	3,024	2,521			
PD-30815R	15 lights		95W	5,220	4,352			
PD-30821R	21 lights		150W	7,308	6,092			

Example: PD-30805R-AB

LINEAR
CANOPY

PD-41*14L



PD-41*23L

SQUARE
CANOPY

PD-41*13S

PD-41*25S

PD-41*41S

ROUND
CANOPY

PD-41*03R



PD-41*05R

PD-41*09R



PD-41*15R

PD-41*21R

CASCADE

*See complementary piece on page 82 and 231

Multiples with Cut Crystal Accents:

Replace * with 7.
For example, a 13-lights square would be PD-41713S

Multiples with Etched Flat Accents:

Replace * with 8.
For example, a 13-lights square would be PD-41813S

DAMP

- Metal pendants with cut crystal or etched glass cap on a square, round or linear canopy
- Thin, powered aircraft cables provide an ultra-clean look
- Canopy conceals a proprietary universal 120V-220V-277V driver

CCT	CRI	Voltage	Dimming	Rated Life
2700K 3000K 3500K 4000K	90	120-277V	ELV	50,000 hours

Model No.	# of lights	Canopy	Wattage	LED Lumens	Delivered Lumens	Finish	Suspension MIN	Suspension MAX
PD-41*14L **PD-41*23L**	14 lights 23 lights	Linear	98W 161W	6,118 10,051	5,254 8,631	**AB, BK, PN**	42”	120”
PD-41*13S **PD-41*25S** **PD-41*41S**	13 lights 25 lights 41 lights	Square	98W 182W 294W	5,681 10,925 17,917	4,878 9,381 15,385	**AB, BK, PN**	42”	120”
PD-41*03R **PD-41*05R** **PD-41*09R** **PD-41*15R** **PD-41*21R**	3 lights 5 lights 9 lights 15 lights 21 lights	Round	21W 35W 63W 105W 147W	1,311 2,185 3,933 6,555 9,177	1,126 1,876 3,377 5,629 7,880	**AB, BK, PN**	32” 32” 42” 42” 42”	120”

Example: PD-41715R-BK

LINEAR
CANOPY

PD-64814L



PD-64823L

SQUARE
CANOPY

PD-64813S

PD-64825S

PD-64841S

ROUND
CANOPY

PD-64803R

PD-64805R

PD-64809R

PD-64815R

PD-64821R

CHAOS

*See complementary piece on page 83, 84, 85, 232, and 275

DAMP

- Sculptural bars of light on a square, round or linear canopy
- Thin, powered aircraft cables provide an ultra-clean look
- Canopy conceals a proprietary universal 120V-220V-277V driver

CCT	CRI	Voltage	Dimming	Rated Life
3000K	90	120-277V	ELV TRIAC 0-10V	50,000 hours

***All Canopies are in BK Finish**

Model No.	# of lights	Canopy	Wattage	LED Lumens	Delivered Lumens	Finish	Suspension MIN	Suspension MAX
PD-64814L	14 lights	Linear	120W	17,850	11,610	**BK/AB-BK**	30"	142"
PD-64823L	23 lights		200W	29,621	19,210			
PD-64813S	13 lights	Square	102W	15,595	10,232	**BK/AB-BK**	30"	142"
PD-64825S	25 lights		207W	31,127	20,308			
PD-64841S	41 lights		326W	51,497	33,673			
PD-64803R	3 lights	Round	27W	1,702	1,114	**BK/AB-BK**	30"	142"
PD-64805R	5 lights		37W	2,332	1,747			
PD-64809R	9 lights		67W	4,020	2,807			
PD-64815R	15 lights		114W	7,285	3,871			
PD-64821R	21 lights		135W	10,199	4,591			

Example: PD-64809R-BK/AB-BK

LINEAR
CANOPY



PD-82014L



PD-82023L

SQUARE
CANOPY

PD-82013S



PD-82025S



PD-82041S

ROUND
CANOPY

PD-82003R



PD-82005R

PD-82009R

PD-82015R



PD-82021R

DOUBLE BUBBLE

*See complementary piece on page 88, 89, 90, 151 and 152

DAMP

- Laser etched crystal orbs on a square, round or linear canopy
- Thin, powered aircraft cables provide an ultra-clean look
- Canopy conceals a proprietary universal 120V-220V-277V driver

CCT	CRI	Voltage	Dimming	Rated Life
3000K	90	120-277V	ELV TRIAC 0-10V	50,000 hours

Model No.	# of lights	Canopy	Wattage	LED Lumens	Delivered Lumens	Finish	Suspension MIN	Suspension MAX
PD-82014L	14 lights	Linear	41W	4,137	3,556	**AB, BK**	14”	180”
PD-82023L	23 lights		70W	6,966	5,988			
PD-82013S	13 lights	Square	41W	4,137	3,556	**AB, BK**	14”	180”
PD-82025S	25 lights		82W	8,274	7,112			
PD-82041S	41 lights		123W	12,411	10,668			
PD-82003R	3 lights	Round	16W	1,411	1,213	**AB, BK**	14”	180”
PD-82005R	5 lights		23W	2,061	1,772			
PD-82009R	9 lights		35W	3,483	2,994			
PD-82015R	15 lights		41W	4,137	3,556			
PD-82021R	21 lights		70W	6,966	5,988			

Example: PD-82003R-BK

LINEAR
CANOPY



PD-44414L



PD-44423L

SQUARE
CANOPY



PD-44413S



PD-44425S



PD-44441S

ROUND
CANOPY

PD-44403R



PD-44405R

PD-44409R

PD-44415R



PD-44421R

KILT

*See complementary piece on page 102 and 155

DAMP

- Hazy acrylic and metal pendants on a square, round or linear canopy
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Artisan crafted hazy cloud acrylic. Each unique piece lends itself to variations in milkiness
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Built-in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

CCT	CRI	Voltage	Dimming	Rated Life
2700K 3000K 3500K 4000K	90	120-277V	ELV	50,000 hours

Model No.	# of lights	Canopy	Wattage	LED Lumens	Delivered Lumens	Finish	Suspension MIN	Suspension MAX
PD-44414L **PD-44423L**	14 lights 23 lights	Linear	110W 179W	9,968 16,376	7,256 11,792	**AB, BK**	20”	150”
PD-44413S **PD-44425S** **PD-44441S**	13 lights 25 lights 41 lights	Square	105W 197W 317W	9,256 17,800 29,192	6,952 13,000 20,864	**AB, BK**	20”	150”
PD-44403R **PD-44405R** **PD-44409R** **PD-44415R** **PD-44421R**	3 lights 5 lights 9 lights 15 lights 21 lights	Round	23W 41W 69W 115W 161W	2,136 3,560 6,408 10,680 14,952	1,512 2,720 4,536 7,560 10,584	**AB, BK**	20”	150”

Example: PD-44414L-AB

LINEAR
CANOPY



PD-35614L



PD-35623L

SQUARE
CANOPY

PD-35613S

PD-35625S

PD-35641S

ROUND
CANOPY



PD-35603

PD-35605



PD-35609

PD-35615

PD-35621

MAGIC

*See complementary piece on page 105, 198 and 199

DAMP

- Piastra glass pendants on a square, round or linear canopy
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Canopy conceals a proprietary universal 120V-220V-277V driver

CCT	CRI	Voltage	Dimming	Rated Life
3000K	90	120-277V	ELV 0-10V	50,000 hours

Model No.	# of lights	Canopy	Wattage	LED Lumens	Delivered Lumens	Finish	Suspension MIN	Suspension MAX
PD-35614L	14 lights	Linear	87W	3,136	2,884	**BK, PN**	18"	120"
PD-35623L	23 lights		133W	5,152	4,738			
PD-35613S	13 lights	Square	87W	2,912	2,678	**BK, PN**	18"	120"
PD-35625S	25 lights		142W	5,600	5,150			
PD-35641S	41 lights		224W	9,184	8,446			
PD-35603	3 lights	Round	17W	672	618	**BK, PN**	18"	120"
PD-35605	5 lights		29W	1,120	1,030			
PD-35609	9 lights		52W	2,016	1,854			
PD-35615	15 lights		87W	3,360	3,090			
PD-35621	21 lights		122W	4,704	4,326			

Example: PD-35621-PN

LINEAR
CANOPY



PD-78014L



PD-78023L

SQUARE
CANOPY

PD-78013S



PD-78025S

PD-78041S

ROUND
CANOPY

PD-78003R



PD-78005R

PD-78009R

PD-78015R



PD-78021R

MINX

*See complementary piece on page 109, 110, 200 and 201

DAMP

CALIFORNIA JA8 TITLE 24

- Artisanal reclaimed K5 crystal diffusers and metal pendants on a square, round or linear canopy
- Thin, powered aircraft cables provide an ultra-clean look
- Canopy conceals a proprietary universal 120V-220V-277V driver

CCT	CRI	Voltage	Dimming	Rated Life
3000K	90	120-277V	ELV TRIAC 0-10V	55,000 hours

Model No.	# of lights	Canopy	Wattage	LED Lumens	Delivered Lumens	Finish	Suspension MIN	Suspension MAX
PD-78014L	14 lights	Linear	48W	4,317	3,892	**AB, AN**	25”	160”
PD-78023L	23 lights		77W	7,092	6,394			
PD-78013S	13 lights	Square	46W	4,008	3,614	**AB, AN**	25”	160”
PD-78025S	25 lights		84W	7,708	6,950			
PD-78041S	41 lights		134W	12,641	11,398			
PD-78003R	3 lights	Round	13W	1,075	847	**AB, AN**	25”	160”
PD-78005R	5 lights		22W	1,790	1,484			
PD-78009R	9 lights		32W	2,775	2,502			
PD-78015R	15 lights		52W	4,625	4,170			
PD-78021R	21 lights		70W	6,475	5,838			

Example: PD-78005R-AB

LINEAR
CANOPY



PD-34414L



PD-34423L

SQUARE
CANOPY

PD-34413S



PD-34425S

PD-34441S

ROUND
CANOPY

PD-34403R



PD-34405R

PD-34409R



PD-34415R



PD-34421R

PISCES

*See complementary piece on page 112

DAMP

- Premium natural Spanish Alabaster orbs on a square, round or linear canopy
- Thin, powered aircraft cables provide an ultra-clean look
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Built-in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

CCT	CRI	Voltage	Dimming	Rated Life
2700K 3000K 3500K 4000K	90	120-277V	ELV TRIAC 0-10V	50,000 hours

Model No.	# of lights	Canopy	Wattage	LED Lumens	Delivered Lumens	Finish	Suspension MIN	Suspension MAX
PD-34414L	14 lights	Linear	110W	9,703	5,071	**AB, BK**	14”	180”
PD-34423L	23 lights		179W	16,276	8,506			
PD-34413S	13 lights	Square	105W	8,451	4,416	**AB, BK**	14”	180”
PD-34425S	25 lights		197W	17,215	8,996			
PD-34441S	41 lights		317W	29,422	15,376			
PD-34403R	3 lights	Round	23W	2,191	1,145	**AB, BK**	14”	180”
PD-34405R	5 lights		41W	3,130	1,636			
PD-34409R	9 lights		69W	6,573	3,435			
PD-34415R	15 lights		115W	10,955	5,725			
PD-34421R	21 lights		161W	15,337	8,015			

Example: PD-34415R-BK



CHANDELIERS & PENDANTS

ARCS

NEW

A trio of contoured metallic bands forms a connected linear sculpture. Each band features an etched white diffuser on an alternate one side. Together, they deliver a gentle LED glow that illuminates the surrounding area.





DAMP

CALIFORNIA JA8 TITLE 24

- Spin-on round canopy with minimal hardware
- Curved, flowing etched diffuser
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-31058	57"	3000K	90	120-277 VAC	40.1W	5300	2089	ELV TRIAC 0-10V	36,000 hours	**AB BK BN**	58"	8"	16"	15"	120"

Example: PD-31058-BN

CADIZ

NEW

Encased in slender metallic straps, a tall cylinder of natural Spanish Alabaster radiates a rich, luminous glow, showcasing the stone's distinctive natural patterns. Its elongated design makes this pendant ideal for hanging in groups, adding a touch of elegance to any space.



DAMP

CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-14518	18"	3000K	90	120/277 VAC	20.8W	2075	1551	ELV TRIAC	50,000 hours	**AB AN**	2"	2"	18"	21"	150"

Example: PD-14518-AN

CATANIA

NEW

In a striking contrast of black and white, a half circle of black basalt stone connects with etched cast glass to form a stunning rod, layered with an integrated LED that shines through the glass. The elegant rods are linked by lustrous aged brass hardware, creating a breathtaking linear pendant light. Each segment can be rotated 180 degrees, offering a customizable look that reflects your style.





DAMP

CALIFORNIA JA8 TITLE 24

CCT

- Crafted from uniquely textured natural stone
- Includes hang straight swivel for sloped ceiling installation
- Rectangular canopy with minimal hardware
- Six 12" and two 6" downrods included (additional sold separately)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-6548	48"	**-27** **-30** **-35** **-40**	90	120/277 VAC	34.4W	1913	1272	ELV TRIAC	50,000 hours	**BV/AB**	48"	7"	4"	14"	120"

Example: PD-6548-30-BV/AB

CAVIAR

NEW

Just like its namesake, this pendant is prized for its subtle richness and texture. Its fluted black basalt stone column surrounds an etched opal glass diffuser, offering a soft, radiant glow from both the top and bottom.



DAMP

CALIFORNIA JA8 TITLE 24

CCT

- Crafted from uniquely textured natural stone
- Includes hang straight swivel for sloped ceiling installation
- Spin-on round canopy with minimal hardware
- Three 12” and one 6” downrods included (additional sold separately)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-62516	16”	**-27 -30 -35 -40**	90	120/277 VAC	21.8W	2069	1105	ELV TRIAC	50,000 hours	**BV/BK WV/AB**	7”	7”	16”	23”	140”

Example: PD-62516-30-BV/BK

CHAUNCEY

NEW

An illuminated cone is encircled by a textured travertine band. Light shines both upward and downward from the central frame, filtering through the etched opal diffuser.



DAMP

CALIFORNIA JA8 TITLE 24

CCT

- Crafted from uniquely textured natural stone
- Thin, powered aircraft cables provide an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-5513	13"	**-27 -30 -35 -40**	90	120/277 VAC	21.4W	1800	1098	ELV TRIAC	54,000 hours	**BV/BK WV/AB**	5"	5"	13"	16"	156"

Example: PD-5513-30-WV/AB

CINEMA

NEW

In a luxe finish, the Cinema Mini Pendant makes a modern statement that's right in line with the latest trends. Sparkling V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs.



*See complementary piece on page 9, 86, and 190

DAMP

CALIFORNIA JA8 TITLE 24

- Sparkling V-Cut K5 seeded crystal
- Thin, powered aircraft cables provide an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-30816	16"	**-27** **-30** **-35** **-40**	90	120/277 VAC	156W	8004	6673	ELV TRIAC	50,000 hours	**AB** **BK**	2"	2"	16"	20"	190"

Example: PD-30816-30-BK

CLIQUE

NEW

A glorious glow. A line of natural Spanish Alabaster radiates striking patterned luminescence. Accented by gleaming trim and suspended by slender wires, this pendant seamlessly floats in midair.

*See complementary piece on page 86

DAMP

CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece.
- Six 12" and twp 6" downrods included (additional sold separately)
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-56448	48"	3000K	90	120-277 VAC	40.7W	4696	2845	ELV TRIAC 0-10V	50,000 hours	**AB**	48"	2"	4"	12"	132"

Example: PD-56448-AB

COPA

NEW

Like a precious jewel, a ring of natural Spanish Alabaster is cradled by sleek, shining arms. The pendant casts distinctive light patterns, showcasing the stone's beautiful variegations. Customize the hanging height with additional chain (sold separately).

*See complementary piece on page 212

DAMP

CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-54525	25"	3000K	90	120-277 VAC	41.6W	4613	3018	ELV TRIAC 0-10V	50,000 hours	**AB AN**	25"	25"	14"	18"	135"

Example: PD-54525-AB

DASHE

NEW

Twelve crystal rods, paired in twos and held by figure-eight brackets, move like dancers weaving in and out to form a graceful circular pattern. The crystal shards catch the light with every turn, while the sculptural metal adds an industrial edge, creating a harmonious blend of elegance and modern design.



DAMP

CALIFORNIA JA8 TITLE 24

- Cast glass diffusser
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-4536	36"	3000K	90	120-277 VAC	27.8W	2106	1902	ELV TRIAC 0-10V	50,000 hours	**AB BK**	36"	36"	5"	12"	175"

Example: PD-4536-AB

DELANEY

NEW

Crafted from rich walnut wood whose grain adds texture and character, Delaney features a beautifully rounded frame that encircles a sleek LED diffuser, offering soft, even illumination.

DAMP

CALIFORNIA JA8 TITLE 24

- Up and downward illumination
- Natural wood grain and color variation with each unique piece
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-88529	29"	3000K	90	120/277 VAC	39.6W	3469	2286	ELV TRIAC	50,000 hours	**BK/DW**	29"	29"	4"	10"	180"

Example: PD-88529-BK/DW

DOLMAN

NEW

Evoking the grandeur of an Elizabethan ruff, interconnected triangles form a frilled collar of light. The frosted acrylic points are illuminated by LEDs, casting a warm glow both upwards and downwards, for a beautifully ambient atmosphere.



DAMP

- Machined frosted acrylic block diffuser
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-73528	27"	3000K	90	120-277 VAC	51.2W	4800	3538	ELV TRIAC 0-10V	50,000 hours	**BK**	27"	27"	5"	30"	160"

Example: PD-73528-BK

FLEUR DE LIS

NEW

A modern take on the iconic fleur-de-lis shape, this large-scale pendant features gracefully swooping metal arms that evoke a sense of movement and sophistication. Each arm is lined with sleek LED diffusers, offering brilliant yet soft illumination that fills the room with a warm, inviting glow.

DAMP

CALIFORNIA JA8 TITLE 24

- Each unique free formed handcrafted piece lends itself to variations in size and curvature
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-90556	36"	3000K	90	120-277 VAC	102.2W	6890	5048	ELV TRIAC 0-10V	50,000 hours	**AB BK**	56"	56"	46"	58"	140"

Example: PD-90556-AB

KIEFER

NEW

Made from natural wood, this pendant features a sleek, elongated form with a subtle grain pattern that adds organic warmth to modern spaces. Its gracefully curved frame conceals an integrated LED light source, allowing it to float effortlessly while casting a soft, ambient glow.

DAMP

- Downward illumination
- Natural wood grain and color variation with each unique piece
- Rectangular canopy with natural wood decorative accent and minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-58548	48"	3000K	90	120/277 VAC	28.2W	2017	1030	ELV TRIAC	50,000 hours	**BK/DW**	48"	4"	6"	20"	140"

Example: PD-58548-BK/DW

KINETIC

NEW

Whether you think of gyroscopes, the atomic structure or da Vinci's "L'Uomo Vitruviano," this spectacular chandelier has deep roots in science, exemplified by brilliant edge-lit LED panels that broadcast 360-degrees of seamless, even light. Adjust the rings for a personalized look.

*See complementary piece on page 72 and 103

DAMP

- Silicon diffusers for even illlumination
- Edge-lit LED panels provide even illlumination
- Rotatable rings for customizable form
- Driver concealed within the canopy
- The 18" is Title 24 compliance



PD-61718 PD-61728 PD-61738

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-61718	18"	3500K	90	120-277 VAC	40.9W	4000	867	ELV TRIAC 0-10V	50,000 hours	**AB BK TT**	18"	17"	18"	25"	150"
PD-61728	28"				130W	3100	2937				28"	28"	28"	38"	122"
PD-61738	38"		80		202W	4374	3499	0-10V			38"	38"	38"	48"	134"

Example: PD-61718-BK

LUTE

NEW

Delicate wires create a mesh circular cage with a modern, minimalist design. An LED diffuser gracefully encircles the top, delivering a soft halo of warm light to the surrounding space.

DAMP

- Downward illumination.
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-80528	28”	**-27** **-30** **-35** **-40**	90	120-277 VAC	41.4W	1619	873	ELV TRIAC 0-10V	50,000 hours	**BK**	28”	28”	6”	30”	160”

Example: PD-80528-30-BK

MONTAGE

NEW

Architectural appeal. Cantilevered columns of reclaimed K5 crystal extend from a sturdy frame, creating alluring illumination from hidden LEDs.



*See complementary piece on page 176

DAMP

CALIFORNIA JA8 TITLE 24

- Artisanal reclaimed K5 crystal diffuser
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation.
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-54432	32"	3000K	90	120/277V	29.2W	1714	1645	ELV TRIAC	36,000 hours	**BK** **BN**	5"	5"	32"	41"	155"

Example: PD-54432-BN

POMPEII

NEW

A natural stone cap is complemented by a wood top, creating a serene and organic material palette. The calming effect is enhanced by the soft, diffused Downlight emitted from the pendant.



DAMP · CALIFORNIA JA8 TITLE 24 · CCT

- Crafted from uniquely textured natural stone
- Thin, powered aircraft cables provide an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-4510	**11"**	**-27 -30 -35 -40**	90	120/277 VAC	23.1W	1800	703	ELV TRIAC	54,000 hours	**BV/BK WV/AB**	6"	6"	10"	14"	155"

Example: PD-4510-30-WV/AB

RONAN

NEW

Opaque panels trimmed with LED illumination are staggered on a circular frame. Its slender cord suspension provides a striking contrast to the fixture's robust cubic design.

DAMP

CALIFORNIA JA8 TITLE 24

- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-9533	32"	3000K	90	120-277 VAC	111.3W	5200	2213	ELV TRIAC 0-10V	50,000 hours	**AB BK**	32"	32"	15"	29"	155"

Example: PD-9533-BK

SIREN

NEW

In a dazzling starburst of light, the iconic shape of Siren pays homage to mid-century design while remaining a perfect complement to contemporary interiors. Triangular bars form a striking silhouette, adding depth and character to the room.

DAMP

CALIFORNIA JA8 TITLE 24

- Starburst configuration
- Includes hang straight swivel for sloped ceiling installation
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-34540	40"	3000K	90	120/277 VAC	58.2W	5918	3647	ELV TRIAC	50,000 hours	**AB**	40"	40"	31"	39"	140"

Example: PD-34540-AB

STORM CHASER

NEW

Rings of metal, backed by an LED diffuser, twist and turn in mid-air, crafting the illusion of a swirling cyclone of uninterrupted up and Downlight.

DAMP

CALIFORNIA JA8 TITLE 24

CCT

- Up and downward illumination
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-74535	35"	**-27** **-30** **-35** **-40**	90	120-277 VAC	144W	9311	4190	ELV TRIAC 0-10V	50,000 hours	**BK**	35"	35"	11"	35"	150"

Example: PD-74535-30-BK

SWIRLY

NEW

A glass globe adorned with dynamic swirling contours combines LED light and high style. The pendant's orb is suspended from a simple cord and is capped with metal on either end for an elegant touch.

PD-32511



PD-32507

DAMP

CCT

- Undulating smoked glass
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-32507	7"	**-27 -30**	90	120/277 VAC	7.8W	781	153	ELV TRIAC	50,000 hours	**SM/AB SM/BN**	6"	6"	7"	10"	120"
PD-32511	11"	**-35 -40**			14.6W	1654	343				10"	10"	11"	14"	124"

Example: PD-32507-30-SM/AB

SYBIL

NEW

Showcasing Art Deco elegance with its layered cantilevered bars, this pendant exudes a sleek, modern aesthetic. A minimalist round globe diffuser enhances the sense of order and balance, emerging gracefully from the pendant's clean, structured lines.



PD-60514 PD-60510

DAMP CALIFORNIA JA8 TITLE 24 CCT

- Crowned with decorative hardware
- Includes hang straight swivel for sloped ceiling installation
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Suspension L	W	H	MIN	MAX
PD-60510	10"	**-27 -30**	90	120/277 VAC	14.7W	1653	1476	ELV TRIAC	50,000 hours	**AB NB**	10"	10"	24"	30"	140"
PD-60514	14"	**-35 -40**			20.1W	2286	2239				14"	14"	27"	33"	145"

Example: PD-60510-30-AB

TENDRIL

NEW

Light Waves. Inspired by nature, this pendant features flowing ribbons of ribbed art glass that cascade elegantly from a polished dome canopy. The layered design produces a fascinating interplay of light and texture.



DAMP

CALIFORNIA JA8 TITLE 24

- Handcrafted, ribbed art glass
- Thin, powered aircraft cables provide an ultra-clean look
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-22532	32"	3000K	90	120-277 VAC	86.2W	8500	7336	ELV TRIAC 0-10V	50,000 hours	**GL SL**	26"	26"	32"	45"	140"

Example: PD-22532-GL

KINETIC RGBWW

NEW

The spectacular, large-scale size Kinetic glows from color-changing or white edge-lit LED panels that broadcast 360-degrees of eye-catching illumination. Rotate its rings for a personalized look.



*See complementary piece on page 52 and 103

DAMP

- Silicon diffusers for even illlumination
- Edge-lit LED panels provide even illlumination
- Rotatable rings for customizable form
- Driver concealed within the canopy
- App CCT and RGB control
- *NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs
- *This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 200 lbs. or supported independently of the outlet box

											Suspension	
Model No.	Size	CCT	CRI	Voltage	Wattage	Rated Life	Finish	L	W	H	MIN	MAX
PD-61760-DYN	60"	RGBWW (2700K TO 5000K OR RGB)	80	120-277V	300W	50,000 hours	**BK TT**	60"	60"	60"	69"	143"

Example: PD-61760-DYN-BK

ACROPOLIS

DAMP CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Can be mounted on a sloped ceiling
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Slide-on rectangular canopy with minimal hardware
- Driver concealed within the canopy



*See complementary piece on page 186

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-68146	46"	3000K	90	120-277V	65.4W	5509	2148	ELV TRIAC 0-10V	60,000 hours	**AB BN**	46"	5"	14"	20"	150"

Example: PD-68146-BN

ALFA

DAMP CALIFORNIA JA8 TITLE 24

- Hand-leafed interior
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-90324	24"	3000K	90	120/277V	19W	1493	1150	ELV TRIAC	54,000 hours	**BZ/GL**	24"	24"	8"	17"	125"

Example: PD-90324-BK/GL

AMARI

DAMP

CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Square canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



*See complementary piece on page 148

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-79014	14"	3000K	90	120V	28.3W	765	646	ELV TRIAC	50,000 hours	**AB BK**	5"	5"	14"	17"	130"
PD-79032	32"			120/277V	56.6W	2830	2407	ELV	60,000 hours		11"	11"	32"	35"	155"

Example: PD-79014-BK

AMARI

DAMP

- Ambient light distributed from multiple diffusers
- Twelve 12" and four 6" downrods included (additional sold separately)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy



*See complementary piece on page 148

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-79058	58"	3000K	90	120-277V	77.4W	6000	2117	ELV TRIAC 0-10V	66,000 hours	**AB BK**	58"	16"	13"	22"	118"

Example: PD-79058-AB

AZURE

DAMP

- Premium natural Spanish Alabaster with unique variegations in each piece
- Spin-on round canopy with minimal hardware
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation.
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-42416	16”	3000K	90	120/277V	20.2W	1109	297	ELV TRIAC	36,000 hours	**AB BK**	4”	4”	16”	25”	121”

Example: PD-42416-BK

BASALT

DAMP CALIFORNIA JA8 TITLE 24

- Hexagon shaped canopy
- Artisan crafted reclaimed crystal diffuser
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on hexagonal canopy with minimal hardware
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-48110	10”	3000K	90	120/277V	9.2W	544	340	ELV	50,000 hours	**BN**	2”	1”	10”	12”	120”

Example: PD-48110-BN

BATTLESTAR

DAMP · CALIFORNIA JA8 TITLE 24 · PATENTED

- Ambient and downward illlumination
- Spin-on round canopy with minimal hardware
- Thin power aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-34228	28"	3000K	90	120-277V	30.2W	2225	1559	ELV TRIAC 0-10V	42,000 hours	**BK**	28"	28"	4"	20"	110"

Example: PD-34228-BK

BDSM

DAMP

- Vintage pebble-grain faux leather
- Can be mounted on a sloped ceiling
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Transformer concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-51542	42"	3000K	90	120 VAC	48W	1716	746	ELV	80,000 hours	**BK**	42"	2"	3"	12"	120"

Example: PD-51542-BK
For 277V special order add "F" before the finish: PD-51542F-BK

BENTLEY

DAMP

CALIFORNIA JA8 TITLE 24

- Smooth pebble grain faux leather
- Spin-on round canopy with minimal hardware
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-88324	24”	3000K	90	120-277V	43W	3792	986	ELV TRIAC 0-10V	50,000 hours	**BK/AB**	24”	24”	18”	28”	124”

Example: PD-88324-BK/AB

BENTLEY

DAMP

CALIFORNIA JA8 TITLE 24

- Smooth pebble grain faux leather
- Rectangular canopy with minimal hardware
- Six 12” and two 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-88344	44”	3000K	90	120-277V	43.2W	5373	1397	ELV TRIAC 0-10V	50,000 hours	**BK/AB**	44”	12”	10”	20”	140”

Example: PD-88344-BK/AB

BLACK JACK

DAMP · CALIFORNIA JA8 TITLE 24

- Up and downward illlumination
- Slide-on oval canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-44344	44"	3000K	90	120/277V	54.5W	5400	3381	ELV TRIAC	50,000 hours	**BK**	44"	8"	3"	10"	130"

Example: PD-44344-BK

BLOOM

DAMP · CALIFORNIA JA8 TITLE 24

- Extends and retracts mechanically from 32" to 42"
- Spin-on round canopy with minimal hardware
- Can be mounted on a sloped ceiling
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-73032	32"	3000K	90	120-277V	45.2W	3679	2366	ELV TRIAC 0-10V	24,000 hours	**AL BK**	32"	32"	1"	14"	173"

Example: PD-73032-BK

BURNING MAN

DAMP

- Knurled aluminum casing with textured cross hatching pattern
- Collar can be rotated for continuous 15-degree 45-degree beam adjustment
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-67014	14"	3000K	90	120/277V	15W	1105	768	ELV TRIAC	60,000 hours	**AB AN**	3"	3"	14"	17"	120"

Example: PD-67014-AB

CAMBRIA

DAMP CALIFORNIA JA8 TITLE 24

- Artisan crafted milky cloud acrylic
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Slide-on square canopy with minimal hardware
- Each unique crafted piece lends itself to variations in milkiness
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-28216	16"	3000K	90	120/277V	15.6W	1500	706	ELV	36,000 hours	**BK**	8"	1"	16"	25"	120"

Example: PD-28216-BK

CARILLION

DAMP

- Ambient illlumination
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-36206	6”	3000K	90	120/277V	26.9W	1134	413	ELV TRIAC	54,000 hours	**BK**	6”	6”	6”	8”	120”

Example: PD-36206-BK

CARILLION

DAMP

- Ambient illlumination
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-36203R	12”	3000K	90	120-277V	80.9W	2927	1019	ELV TRIAC	54,000 hours	**BK**	12”	12”	6”	8”	120”

Example: PD-36203R-BK

CASCADE

DAMP

- Hand-cut faceted K9 crystal
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"

*See complementary piece on page 11 and 231

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-41719	19"	2700K 3000K 3500K 4000K	90	120-277V	7.3W	595	511	ELV	50,000 hours	**AB BK PN**	2"	2"	19"	22"	130"
PD-41728	28"				8.8W	586	447						28"	32"	
PD-41737	37"												37"	42"	

Example: PD-41719-PN

CASCADE

DAMP

- CNC precision-cut etched diffuser
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"

*See complementary piece on page 11 and 231

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-41819	19"	2700K 3000K 3500K 4000K	90	120-277V	8.8W	586	447	ELV	50,000 hours	**AB BK PN**	2"	2"	19"	22"	130"
PD-41828	28"												28"	32"	
PD-41837	37"												37"	42"	

Example: PD-41819-AB

CATALYST

DAMP

- Mouth-blown free-form art glass with gold or silver fleck
- Adjustable arms for customization
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-53751	51"	3000K	90	120-277V	17.9W	1200	999	ELV	44,000 hours	**AB PN**	51"	36"	22"	30"	150"

Example: PD-53751-AB

CHAOS

DAMP

CALIFORNIA JA8 TITLE 24

- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy





PD-64861

*See complementary piece on page 13, 84, 85, 232, and 275

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-64834	34"	3000K	90	120-277V	40.4W	2717	2407	ELV TRIAC 0-10V	36,000 hours	**AB AL BK**	34"	34"	10"	23"	98"
PD-64861	61"				60W	4010	3720				61"	61"	15"	35"	105"

Example: PD-64834-AB

CHAOS

DAMP

CALIFORNIA JA8 TITLE 24

- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



PD-64849

*See complementary piece on page 13, 83, 85, 232, and 275

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-64849	49"	3000K	90	120-277V	29.7W	2123	1923	ELV TRIAC 0-10V	36,000 hours	**AB** **AL** **BK**	25"	23"	49"	58"	142"
PD-64875	75"				80W	5260	4960				31"	28"	75"	90"	185"

Example: PD-64849-AB

CHAOS

DAMP

CALIFORNIA JA8 TITLE 24

- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



PD-64872

*See complementary piece on page 13, 83, 85, 232, and 275

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-64848	48"	3000K	90	120-277V	29.3W	2336	1567	ELV TRIAC 0-10V	36,000 hours	**AB** **AL** **BK**	48"	21"	20"	42"	163"
PD-64872	72"				58W	3859	3496				72"	18"	19"	34"	160"

Example: PD-64848-AL

CHAOS

DAMP

CALIFORNIA JA8 TITLE 24

- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy

*See complementary piece on page 13, 83, 84, 232, and 275

PD-64820

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-64814	14"				9.9W	875	530						14"	18"	120"
PD-64820	20"	3000K	90	120-277V	14.7W	1444	826	ELV TRIAC 0-10V	50,000 hours	**AB** **BK**	2"	2"	20"	24"	126"
PD-64826	26"				22.1W	1565	1016						26"	30"	132"

Example: PD-64814-AB

CHRONOS

DAMP

CALIFORNIA JA8 TITLE 24

- Sanded acrylic diffuser
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy





PD-75934

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-75934	34"	3000K	90	120-277V	46.9W	2793	2282	ELV TRIAC 0-10V	42,000 hours	**AB** **BK**	34"	34"	10"	20"	99"
PD-75950	50"				64.4W	3310	2696				50"	50"		30"	130"

Example: PD-75934-BK

CINEMA

DAMP · CALIFORNIA JA8 TITLE 24

- Sparkling V-Cut K5 seeded crystal
- Intricately welded for clean, seamless look
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Six 12” and two 6” downrods included (additional sold separately)
- Driver concealed within the canopy
- *NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs
- *This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. or supported independently of the outlet box



*See complementary piece on page 9, 36, and 190

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-30854	54”	3500K	90	120-277V	86W	6528	5232	ELV TRIAC 0-10V	50,000 hours	**AB BK**	54”	12”	13”	17”	120”

Example: PD-30854-BK

CLIQUE

DAMP

- Premium natural Spanish Alabaster with unique variegations in each piece
- Spin on canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



*See complementary piece on page 38

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-56431	31”	3000K	90	120-277V	43.3W	4335	3251	ELV TRIAC 0-10V	36,000 hours	**AB**	31”	31”	2”	13”	150”

Example: PD-56431-AB

COLISEO

DAMP · CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-72128	28"	3000K	90	120-277V	42.1W	4242	2851	ELV TRIAC 0-10V	42,000 hours	**AB** **AN**	28"	28"	5"	20"	115"

Example: PD-72128-AB

COSMIC

DAMP

- Steel spun hardware, seven step glass for sparkling bubble and marbleized effect
- Art glass comprised of individually unique impressions and marbling pattern
- Indirect illlumination
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



PD-28807

Model No.	# of lights	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-28801	1 light				7.3W	412	377				9"	9"		12"	
PD-28807	7 lights	3000K	90	120-277V	49W	3794	3492	ELV	50,000 hours	**BK** **BN**	27"	27"	10"	20"	170"
PD-28812	12 lights				84W	6121	5601				36"	36"		26"	

Example: PD-28801-BN

CYMBAL

DAMP · CALIFORNIA JA8 TITLE 24

- Artisan crafted milky cloud acrylic
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Each unique piece lends itself to variations in milkiness
- Driver concealed within the canopy



*See complementary piece on page 150

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-62114	14”	3000K	90	120/277V	9.1W	500	377	ELV TRIAC	36,000 hours	**AB BK**	14”	2”	14”	22”	118”

Example: PD-62114-AB

DOUBLE BUBBLE

DAMP · CALIFORNIA JA8 TITLE 24

- Light is evenly diffused through laser etched crystal ball
- Can be mounted on a sloped ceiling
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”



*See complementary piece on page 15, 89, 90, 151 and 152

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-82006	6”	3000K	90	120-277V	7.5W	635	610	ELV 0-10V	50,000 hours	**AB BK SN**	5”	5”	6”	12”	120”

Example: PD-82006-AB

DOUBLE BUBBLE

DAMP

CALIFORNIA JA8 TITLE 24

- Light is evenly diffused through laser etched crystal ball
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy



*See complementary piece on page 15, 88, 90, 151 and 152

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-82024	24”	3000K	90	120-277V	19W	1920	1824	ELV TRIAC 0-10V	50,000 hours	**AB BK SN**	23”	22”	7”	14”	120”

Example: PD-82024-AB

DOUBLE BUBBLE

DAMP

CALIFORNIA JA8 TITLE 24

- Light is evenly diffused through laser etched crystal ball
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy



*See complementary piece on page 15, 88, 90, 151 and 152

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-82027	27”	3000K	90	120-277V	37W	2880	2736	ELV TRIAC 0-10V	50,000 hours	**AB BK SN**	27”	24”	12”	20”	122”

Example: PD-82027-BK

DOUBLE BUBBLE

DAMP · CALIFORNIA JA8 TITLE 24

- Light is evenly diffused through laser etched crystal ball
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy





*See complementary piece on page 15, 88, 89, 151 and 152

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-82042	42"	3000K	90	120-277V	44W	4320	3782	ELV TRIAC 0-10V	50,000 hours	**AB BK SN**	37"	42"	18"	22"	124"

Example: PD-82042-AB

DOUBLE BUBBLE

DAMP · CALIFORNIA JA8 TITLE 24

- Light is evenly diffused through laser etched crystal ball
- Six 12" and two 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Slide-on rectangular canopy with minimal hardware
- Driver concealed within the canopy





*See complementary piece on page 15, 88, 89, 151 and 152

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-82044	44"	3000K	90	120-277V	31W	2880	2736	ELV TRIAC 0-10V	50,000 hours	**AB BK SN**	44"	16"	6"	15"	123"

Example: PD-82044-SN

DRIFT

DAMP

- Unique wood grain
- Tempered glass diffuser with sanded surface
- End-to-end LED modules for even illlumination
- Can be mounted on a sloped ceiling
- Transformer concealed within the canopy



PD-58738

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-58738	38"				44W	1736	770				38"				
PD-58756	56"	3000K	90	120 VAC	74W	2810	1113	ELV	80,000 hours	**DW WAL**	56"	2"	3"	6"	125"
PD-58784	84"				96W	3840	1630				84"				

Example: PD-58738-DW
For 277V special order add "F" before the finish: PD-58738F-DW

ECHELON

DAMP CALIFORNIA JA8 TITLE 24

- Mouth blown etched opal glass with decorative metal fins
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation up to 90 degrees.
- Driver concealed within the canopy



PD-94316

*See complementary piece on page 92 and 233

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-94316	16"	3000K	90	120/277V	14.3W	1390	641	ELV TRIAC	54,000 hours	**AB BK**	16"	16"	10"	18"	137"
PD-94324	24"				19.5W	2970	1369				24"	24"	15"	23"	142"

Example: PD-94316-BK

ECHELON

DAMP · CALIFORNIA JA8 TITLE 24

- Mouth blown etched opal glass with decorative metal fins
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation up to 90 degrees.
- Driver concealed within the canopy



*See complementary piece on page 91 and 233

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-94322	22"	3000K	90	120/277V	20.4W	3915	1804	ELV TRIAC	54,000 hours	**AB BK**	9"	9"	22"	30"	150"

Example: PD-94322-AB

ENTICE

DAMP · CCT

- Illuminated silica strands with premium natural Spanish Alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy



PD-62418IC

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PD-62418IC	93"				20W	2000	792						98"
PD-62418RE													95"
PD-62424IC	122"	**-27**			27.5W	2600	920						127"
PD-62424RE		**-30**											124"
PD-62436IC	181"	**-35**	90	120-277V	40.2W	4000	1640	ELV TRIAC 0-10V	64,000 hours	**AB**	5"	5"	186"
PD-62436RE		**-40**											183"
PD-62448IC	240"				54.1W	5000	2041						245"
PD-62448RE													242"

Example: PD-62418IC-30-AB

EQUILIBRIUM

DAMP

CALIFORNIA JA8 TITLE 24

- Up and downward illlumination
- Artisan crafted milky cloud acrylic. Each unique piece lends itself to variations in milkiness.
- Six 12” and two 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Slide-on rectangular canopy with minimal hardware
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-54248	48”	3000K	90	120-277V	27.6W	2500	1264	ELV TRIAC 0-10V	54,000 hours	**BK**	48”	1”	8”	17”	120”

Example: PD-54248-BK

EZRA

DAMP

CALIFORNIA JA8 TITLE 24

- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Spin-on round canopy with minimal hardware
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy





*See complementary piece on page 153

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-96318	18”	3000K	90	120/277V	13.8W	840	628	ELV	50,000 hours	**BK**	5”	4”	18”	21”	130”

Example: PD-96318-BK

FIRENZE

DAMP · CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Driver concealed within the canopy



*See complementary piece on page 154

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-40222	22"	3000K	90	120/277V	11.1W	894	806	ELV TRIAC	42,000 hours	**AB AN**	5"	5"	22"	30"	120"

Example: PD-40222-AN

FLUFFY

DAMP · CALIFORNIA JA8 TITLE 24

- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Glowing cluster of interlocked petal diffusers
- Magnetic tool free diffuser installation for easy cleaning
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



PD-59922

*See complementary piece on page 233

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-59922	22"	3000K	90	120-277V	31.5W	2718	2333	ELV TRIAC 0-10V	42,000 hours	**BN**	22"	22"	6"	25"	110"
PD-59933	33"				44W	3980	3375				33"	33"	10"		120"

Example: PD-59922-BN

FOREVER

DAMP

CALIFORNIA JA8 TITLE 24

- Spin-on round canopy with minimal hardware
- Reclaimed K5 crystal
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- *NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs
- *This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. or supported independently of the outlet box





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-76034	34"	3000K	90	120-277V	31.7W	2400	1745	ELV TRIAC 0-10V	54,000 hours	**AB AN**	34"	29"	7"	30"	170"

Example: PD-76034-AB

GILT

DAMP

- Hand-leafed interior
- Up and down illlumination
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Transformer concealed within the canopy



*See complementary piece on page 216

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-51318	18"	3000K	90	120-277V	27W	2873	1961	ELV TRIAC	50,000 hours	**GL**	18"	18"	4"	8"	120"

Example: PD-51318-GL
For 277V special order, add "F" before the finish: PD-51318F-GL

HARMONIX

DAMP | CALIFORNIA JA8 TITLE 24

- Sanded acrylic diffuser spreads light evenly
- Can be mounted on a sloped ceiling
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy



*See complementary piece on page 97 and 155

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-87914	14"	3000K	90	120-277V	46.5W	2742	2660	ELV TRIAC 0-10V	36,000 hours	**BK/AB**	14"	14"	26"	28"	146"

Example: PD-87914-BK/AB

HARMONIX

DAMP | CALIFORNIA JA8 TITLE 24

- Sanded acrylic diffuser spreads light evenly
- Can be mounted on a sloped ceiling
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



*See complementary piece on page 97 and 155

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-87924	24"	3000K	90	120-277V	56W	5040	2425	ELV TRIAC 0-10V	36,000 hours	**BK/AB**	24"	24"	15"	24"	120"

Example: PD-87924-BK/AB

HARMONIX

DAMP

CALIFORNIA JA8 TITLE 24

- Sanded acrylic diffuser spreads light evenly
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Six 12” and two 6” downrods included (additional sold separately)
- Driver concealed within the canopy





*See complementary piece on page 96 and 155

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-87956	56”	3000K	90	120-277V	91W	8190	5334	ELV TRIAC 0-10V	64,000 hours	**BK/AB**	56”	12”	15”	24”	120”

Example: PD-87956-BK/AB

HELIOS

DAMP

CALIFORNIA JA8 TITLE 24

- Hand-leafed glass will lend itself to variations in each individually unique piece
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-74318	17”	3000K	90	120/277V	12W	780	661	ELV TRIAC	51,000 hours	**AB/GL BN/SL**	10”	10”	17”	27”	140”

Example: PD-74318-AB/GL

HUGO

DAMP

CALIFORNIA JA8 TITLE 24

- Three 12” and one 6” downrods included (additional sold separately)
- Conical canopy with minimal hardware
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-20324	24”	3000K	90	120V AC	22.5W	1800	408	ELV	54,000 hours	**BK BN**	10”	10”	24”	28”	110”

Example: PD-20324-BK

HUSTLER

DAMP

CALIFORNIA JA8 TITLE 24

- Up and downward illlumination
- Natural wood grain and color variation with each unique piece
- Slide-on rectangular canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-70354	54”	3000K	90	120-277V	85W	3304	1592	ELV TRIAC 0-10V	54,000 hours	**BK/DW**	54”	14”	5”	24”	118”

Example: PD-70354-BK/DW

ILIOS

DAMP · CALIFORNIA JA8 TITLE 24 · PATENTED

- Ambient illlumination
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy





PD-86332

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-86332	32"	3000K	90	120-277V	45.5W	3141	1616	ELV TRIAC 0-10V	54,000 hours	**AB** **BK**	32"	29"	4"	10"	120"
PD-86342	42"				70.2W	4718	2425				42"	39"			

Example: PD-86332-AB

ILLUSION

DAMP · CALIFORNIA JA8 TITLE 24 · CCT

- Mouth blown etched opal glass
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation.
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy



PD-72316

*See complementary piece on page 218

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-72316	16"	**-27** **-30** **-35**	90	120/277V	20.2W	3370	1554	ELV TRIAC	50,000 hours	**AB** **BK**	16"	16"	10"	19"	150"
PD-72322	22"				29.3W	5055	2331				22"	22"	13"	21"	

Example: PD-72316-30-BK

IMPERIAL

DAMP CALIFORNIA JA8 TITLE 24

- Up and down illlumination
- Streamlined architectural silhouette
- Spin-on round canopy with minimal hardware
- Thin power aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-32242	42"	3000K	90	120-277V	81.8W	7965	3911	ELV TRIAC 0-10V	54,000 hours	**BK BN**	42"	42"	8"	29"	120"

Example: PD-32242-BN

INTRASECTION

DAMP CALIFORNIA JA8 TITLE 24

- Up and downward illlumination
- Sculptural metalwork
- Slide-on rectangular canopy with minimal hardware
- Six 12" and two 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-68356	56"	3000K	90	120V AC	200.6W	9846	6159	ELV TRIAC	50,000 hours	**BK**	56"	4"	10"	20"	135"

Example: PD-68356-BK

JACKAL

DAMP · CALIFORNIA JA8 TITLE 24

- Ambient light distributed from multiple diffusers
- Six 12” and two 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-80056	56”	3000K	90	120-277V	86.8W	6312	3894	ELV TRIAC 0-10V	36,000 hours	**AB BK**	56”	8”	22”	31”	123”

Example: PD-80056-AB

JULIET

DAMP · CALIFORNIA JA8 TITLE 24

- Angular die-cast cap
- Thick sculptural K9 faceted crystal with distinct asymmetrical cuts
- Three 12” and one 6” downrods included (additional sold separately)
- Coordinating crystal accent canopy included
- Slide-on square canopy with minimal hardware
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



*See complementary piece on page 194 and 195

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-58115	15”	3500K	90	120/277V	8.0W	665	537	ELV	42,000 hours	**AB BK BN**	3”	3”	15”	24”	138”

Example: PD-58115-BN

JUPITER

DAMP · CALIFORNIA JA8 TITLE 24

- Spin-on round canopy with minimal hardware
- Reclaimed K5 crystal
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-75027	27"	3000K	90	120-277V	62.2W	5177	4612	ELV 0-10V	42,000 hours	**BK**	27"	27"	1"	20"	120"

Example: PD-75027-BK

KILT

DAMP · CCT

- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy



*See complementary piece on page 17 and 155

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-44416	16"	**-27** **-30** **-35** **-40**	90	120/277V	8.3W	712	607	ELV	36,000 hours	**AB** **BK**	4"	4"	16"	20"	150"

Example: PD-44416-30-BK

KINETIC

DAMP

- Silicon diffusers for even illlumination
- Edge-lit LED panels provide even illlumination
- Rotatable rings for customizable form
- Driver concealed within the canopy
- *NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs
- *This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 200 lbs. or supported independently of the outlet box

*See complementary piece on page 52 and 72

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-61760	60"	3500K	80	120-277 VAC	300W	7438	5950	0-10V	50,000 hours	**BK TT**	60"	60"	60"	69"	143"

Example: PD-61760-TT

KONSTRUKT

DAMP

- Edge-lit ambient illlumination
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Rectangular canopy design with minimal hardware
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-80048	48"	3000K	90	120-277V	78W	2992	2064	ELV TRIAC 0-10V	60,000 hours	**BK TT**	48"	10"	10"	15"	130"

Example: PD-80048-TT

KRYPTONITE

DAMP

- Cylindrical Piastra crystal diffusers
- Rotatable arms, adjusts at joints for customization
- Three 12" and one 6" downrods included (additional sold separately)
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-54765	55"	3000K	90	120-277V	45.5W	1780	1217	ELV	44,000 hours	**PN**	55"	28"	15"	25"	116"

Example: PD-54765-PN

LUZERNE

DAMP

- Extruded fluted glass
- Inner plate creates a mirrored effect
- Spin on canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy
- *NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- *This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 200 lbs. or supported independently of the outlet box



*See complementary piece on page 105 and 198

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-30126	26"	3000K	90	120-277V	121.3W	7000	6391	ELV TRIAC 0-10V	36,000 hours	**AB BN**	26"	26"	28"	45"	150"

Example: PD-30126-AB

LUZERNE

DAMP

CALIFORNIA JA8 TITLE 24

- Extruded reeded glass
- Inner plate creates a mirrored effect
- Oval canopy with minimal hardware
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Six 12” and two 6” downrods included (additional sold separately)
- Driver concealed within the canopy





*See complementary piece on page 104 and 198

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-30156	56”	3000K	90	120/277V	26.5W	2855	2078	ELV TRIAC	50,000 hours	**AB BN**	56”	4”	5”	13”	120”

Example: PD-30156-BN

MAGIC

DAMP

- Cylindrical Piastra crystal diffusers
- Can be mounted on a sloped ceiling
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”



*See complementary piece on page 19, 198 and 199

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-35601	12”	3000K	90	120-277V	5.8W	224	206	ELV	50,000 hours	**BK PN**	1”	1”	12”	18”	120”

Example: PD-35601-PN

MARIMBA

DAMP

- Hand-leafed interior
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Twist-lock opal glass diffuser for easy removal
- Transformer concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-52708	8"	3000K	90	120 VAC	14W	753	278	ELV	37,000 hours	**GL**	8"	8"	4"	9"	127"

Example: PD-52708-GL

MARIMBA

DAMP

- Hand-leafed interior
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Twist-lock opal glass diffuser for easy removal
- Transformer concealed within the canopy



PD-52724

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-52718	18"				44.9W	3086	1254				18"	18"	4"	6"	
PD-52724	24"	3000K	90	120-277V	46.4W	4406	1846	ELV TRIAC 0-10V	54,000 hours	**GL**	24"	24"	5"	7"	120"
PD-52734	34"				39.7W	3620	1586				34"	34"	6"	9"	

Example: PD-52718-GL
For 277V special order, add "F" before the finish: PD-52718F-GL

MEMORY

DAMP

- Intricate welding for rectangular accents
- Edge-lit LED optic panels spread light evenly
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-56856	56”	3000K	90	120-277V	78.9W	4070	2581	ELV TRIAC 0-10V	54,000 hours	**BK**	56”	8”	8”	18”	120”

Example: PD-56856-BK

METROPOLIS

CALIFORNIA JA8 TITLE 24

- Inner cotton fabric diffuser complemented with an outer chiffon diffuser
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



*See complementary piece on page 108 and 235

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-16813	13”	3000K	90	120/277V	16W	1564	1123	ELV TRIAC	54,000 hours	**BN**	5”	5”	13”	22”	120”

Example: PD-16813-BN

METROPOLIS

- Frosted glass diffuser with cotton diffuser and outer chiffon diffuser
- Ultra-bright lumen output
- 277V option available for 24" only, not available for 30"
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Three 12" and one 6" downrods included (additional sold separately)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



*See complementary piece on page 107 and 235

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-16824	24"	3000K	90	120 VAC	31.5W	2644	2474	ELV TRIAC	54,000 hours	**BN**	24"	24"	6"	9"	121"
PD-16830	30"				47.7W	3869	3815				30"	30"	7"	10"	122"

Example: PD-16824-BN
For 277V special order, add "F" before the finish: PD-16824F-BN

MIES

- Silicon diffusers for even illlumination
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy





PD-50835

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-50829	26"	3000K	90	120-277V	40.5W	3281	1679	ELV TRIAC 0-10V	36,000 hours	**AB**	24"	26"	5"	20"	110"
PD-50835	36"				80.3W	5033	3877				32"	36"			

Example: PD-50835-AB

MINX

DAMP

CALIFORNIA JA8 TITLE 24

- Reclaimed K5 crystal
- Minimal exposed hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- CEC Title 24 option available; driver concealed within the canopy (special order)
- Can be mounted on a sloped ceiling
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.6" x 1.2"



*See complementary piece on page 21, 110, 200 and 201

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-78013	13"	3000K	90	120-277V	8W	252	243	ELV 0-10V	50,000 hours	**AB AN**	2"	2"	13"	25"	120"

Example: PD-78013-AN

MINX

DAMP

CALIFORNIA JA8 TITLE 24

- Articulating stems made of reclaimed K5 crystal
- Six 12" and two 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy





*See complementary piece on page 21, 110, 200 and 201

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-81004	48"	3000K	90	120-277V	31.6W	2642	1719	ELV TRIAC 0-10V	48,000 hours	**AB AN**	48"	48"	4"	12"	120"

Example: PD-81004-AB

MINX

DAMP

CALIFORNIA JA8 TITLE 24

- Articulating stems made of reclaimed K5 crystal
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



*See complementary piece on page 21, 109, 200 and 201

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-81006	48”	3000K	90	120-277V	44.7W	4135	2489	ELV TRIAC 0-10V	48,000 hours	**AB** **AN**	48”	48”	5”	23”	122”

Example: PD-81006-AN

MYSTIC

DAMP

CALIFORNIA JA8 TITLE 24

- Sparkling V-Cut K5 seeded crystal
- Can be mounted on a sloped ceiling
- Driver installed within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”, Title 24 option (special order) with driver installed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-11912	12”	3500K	90	120-277V	22W	1725	812	ELV 0-10V	48,000 hours	**AB** **BK**	4”	4”	12”	24”	160”

Example: PD-11912-AB

ORION

DAMP

- Up and downward illlumination
- Premium natural Spanish Alabaster with unique variegations in each piece
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Rectangular canopy with minimal hardware
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-56246	46"	3000K	90	120-277V	39.4W	4000	1967	ELV TRIAC 0-10V	36,000 hours	**AB BK**	46"	4"	18"	20"	180"

Example: PD-56246-AB

PAREL

DAMP

- Sculptural frame illuminated by a fixed silica strand highlights the natural variegations of Spanish Alabaster orbs
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation.
- Driver concealed within the canopy



*See complementary piece on page 236

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-50446	46"	3000K	90	120-277V	40.9W	4000	2088	ELV TRIAC 0-10V	64,000 hours	**AB AN**	46"	46"	40"	40"	155"

Example: PD-50446-AB

PISCES

DAMP

- Premium natural Spanish Alabaster with unique variegations in each piece
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation.
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy

*See complementary piece on page 23

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-34408	8"	**-27** **-30** **-35** **-40**	90	120/277V	14.2W	1184	814	ELV TRIAC	36,000 hours	**AB** **BK**	8"	8"	9"	17"	125"

Example: PD-34408-30-AB

PLUM

DAMP

CALIFORNIA JA8 TITLE 24

- Thick artisan crafted milky cloud acrylic
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Can be mounted on a sloped ceiling
- Each unique piece lends itself to variations in milkiness
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-40106	6"	3000K	90	120/277V	6.7W	419	359	ELV	50,000 hours	**AB** **BK** **SN**	3"	3"	6"	8"	120"

Example: PD-40106-BK

PUNK

DAMP

- Mouth-blown etched opal glass diffuser
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Three 12” and one 6” downrods included (additional sold separately)
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-24614	14”	3000K	90	120-277V	N/A	2527	1563	ELV	50,000 hours	**BK**	14”	14”	15”	18”	120”

Example: PD-24614-BK
Special Order: For 2700K add “-27”; 3500K add “-35”; before finish PD-24614-27-BK

RACETRACK

DAMP JA8 TITLE 24 CCT

- Silicon diffusers for even illlumination
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Can be mounted on a sloped ceiling
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-53046	46”	**-27** **-30** **-35**	90	120-277V	38.1W	3266	2135	ELV TRIAC 0-10V	36,000 hours	**AL** **BK**	46”	17”	2”	20”	120”

Example: PD-53046-30-BK

RHIANNON

DAMP CALIFORNIA JA8 TITLE 24

- Thick artisanal diffuser made with reclaimed crystal
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- *NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs
- *This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. or supported independently of the outlet box



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-70128	28"	3000K	90	120/277V	56.1W	5669	3682	ELV TRIAC	42,000 hours	**AB BK**	28"	28"	7"	40"	165"

Example: PD-70128-AB

RHIANNON

DAMP CALIFORNIA JA8 TITLE 24

- Thick artisanal diffuser made with reclaimed crystal
- Six 12" and two 6" downrods included (additional sold separately)
- Slide-on rectangular canopy with minimal hardware
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- *NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs
- *This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. or supported independently of the outlet box



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-70148	48"	3000K	90	120-277V	81.1W	9161	5728	ELV TRIAC 0-10V	42,000 hours	**AB BK**	48"	6"	7"	11"	114"

Example: PD-70148-BK

RIDDLE

DAMP

- Wet-etched steel with matching black cables and hardware
- Injection-molded acrylic diffuser inside
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-62864	64”	3000K	90	120-277V	33.4W	526	400	ELV TRIAC 0-10V	44,000 hours	**BK**	64”	15”	15”	22”	145”

Example: PD-62864-BK

ROLLINS

DAMP

CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Spin-on round canopy with minimal hardware
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-26316	16”	3000K	90	120/277V	14.3W	669	512	ELV	50,000 hours	**AB BK**	5”	4”	16”	20”	120”

Example: PD-26316-AB

SABER

DAMP

- Premium natural Spanish Alabaster with unique variegations in each piece
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-48424	24"	3000K	90	120/277V	28.3W	1680	452	ELV TRIAC	36,000 hours	**AB BK**	3"	3"	24"	28"	150"

Example: PD-48424-BK

SERENITY

DAMP CALIFORNIA JA8 TITLE 24

- Artisanal wispy glass diffuser. Each handcrafted piece is unique and lends itself to slight variations.
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



*See complementary piece on page 161

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-38210	10"	3000K	90	120/277V	14.7W	680	444	ELV TRIAC	54,000 hours	**AB BK**	10"	1"	10"	19"	120"

Example: PD-38210-BK

STACKED

DAMP

- Silicon diffusers for even illlumination
- Rotatable arms and articulating lights adjust 360-degrees for customization
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Three 12” and one 6” downrods included (additional sold separately)
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-50748	48”	3000K	90	120-277V	41.6W	4047	2102	ELV 0-10V	36,000 hours	**AL BK BR**	48”	48”	11”	20”	113”

Example: PD-50748-AL

SYDNEY

DAMP CALIFORNIA JA8 TITLE 24

- Up and downward illlumination
- Slide-on almond shaped canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-64256	56”	3000K	90	120-277V	41.4W	3600	2568	ELV TRIAC 0-10V	42,000 hours	**AB**	56”	9”	7”	24”	120”

Example: PD-64256-AB

SYNOPSIS

DAMP

- Each unique free formed handcrafted piece lends itself to variations in size and curvature
- Spin on canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-58471	71"	3000K	90	120-277V	92W	6220	3172	ELV TRIAC 0-10V	54,000 hours	BK	18"	18"	71"	77"	200"

Example: PD-58471-BK

TANDEM

DAMP

CALIFORNIA JA8 TITLE 24

- Side-lit illlumination
- Artisan crafted milky cloud acrylic
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Each unique piece lends itself to variations in milkiness
- Driver concealed within the canopy



*See complementary piece on page 206

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-50117	17"	3000K	90	120/277V	22.2W	1324	888	ELV TRIAC	42,000 hours	**BK**	3"	1"	17"	26"	120"

Example: PD-50117-BK

TANGO

DAMP

- Hand-leafed interior
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-34620	20"	3000K	90	120-277V	40.3W	1750	1187	ELV	54,000 hours	**GL**	20"	20"	6"	8"	125"

Example: PD-34620-GL

TAPER

DAMP

- Hand applied gold leaf interior
- Spin on canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installation.
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-12422	22"	3000K	90	120/277V	28.3W	4132	1653	ELV TRIAC	45,000 hours	**BZ/GL**	22"	22"	20"	29"	120"

Example: PD-12422-BZ/GL

TEMPEST

DAMP · CALIFORNIA JA8 TITLE 24

- Each unique free formed handcrafted piece lends itself to variations in size and curvature
- Rectangular canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-44267	67"	3000K	90	120-277V	68.3W	6545	3338	ELV TRIAC	54,000 hours	**BK**	67"	13"	28"	35"	120"

Example: PD-44267-BK

THE RING

DAMP · CALIFORNIA JA8 TITLE 24 · CCT

- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Can be mounted on a sloped ceiling
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy



PD-55036

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-55036	36"	**-27**	90	120-277V	30.1W	2931	2187	ELV TRIAC	42,000 hours	**AL**	36"	36"	2"	20"	170"
PD-55048	48"	**-30** **-35**			43.9W	4167	3282	0-10V		**BK**	48"	48"		35"	

Example: PD-55036-30-BK

TIDAL

DAMP · CALIFORNIA JA8 TITLE 24 · **PATENTED**

- Each unique free formed handcrafted piece lends itself to variations in size and curvature
- Rectangular canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-58257	57"	3000K	90	120-277V	82.3W	6989	3574	ELV TRIAC 0-10V	54,000 hours	**BK**	57"	15"	13"	20"	120"

Example: PD-58257-BK

VELOCE

DAMP · CALIFORNIA JA8 TITLE 24

- Silicon diffusers for even illlumination
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Edge-lit metal bands rotatable up to 25 degrees
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy





PD-24826

*See complementary piece on page 237

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-24826	26"	3000K	90	120-277V	54.1W	3850	3593	ELV 0-10V	36,000 hours	**AB BK TT**	26"	26"	7"	27"	116"
PD-24838	38"				78.5W	5311	3647				38"	38"	8"	29"	118"
PD-24848	48"				106.7W	9235	5035		42,000 hours		48"	48"	12"	38"	172"

Example: PD-24826-AB

VESTA

DAMP

CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Rectangular canopy with minimal hardware
- Six 12" and two 6" downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-76350	50"	3000K	90	120-277V	86.4W	5261	2938	ELV TRIAC 0-10V	54,000 hours	BK	50"	16"	14"	24"	140"

Example: PD-76350-BK

WOVEN

DAMP

- Each unique free formed handcrafted piece lends itself to variations in size and curvature
- Spin on canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-22452	52"	3000K	90	120-277V	104.2W	9010	4595	ELV TRIAC 0-10V	54,000 hours	**BK**	51"	51"	12"	25"	194"

Example: PD-22452-BK

YOLO

DAMP

CALIFORNIA JA8 TITLE 24

- Twist-lock glass diffuser
- Three 12” and one 6” downrods included (additional sold separately)
- Universal voltage driver (120V-220V-277V) installs within junction box (18” and 26” sizes only)
- No transformer or driver needed (35” only)
- 277v option available (35” only)
- Includes hang straight swivel for sloped ceiling installation.
- CEC Title 24 compliant (35” size only)
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”



PD-55735

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-55726	24”	3000K	90	120-277V	30W	2400	927	ELV TRIAC 0-10V	43,000 hours	**GL**	24”	24”	12”	22”	120”
PD-55735	35”			120 VAC	39.9W	2864	1174	ELV			35”	35”	18”	28”	

Example: PD-55735-GL
For 277V special order add “F” before the finish: PD-55735F-GL

ZELDA

DAMP

- Downward illlumination
- Can be mounted on a sloped ceiling
- ACLED driverless technology





PD-56748

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-56729	29”	3000K	90	120V	48.6W	2388	1236	ELV TRIAC	54,000 hours	**PN**	29”	29”	3”	30”	95”
PD-56748	48”				94W	3582	3060	ELV			48”	48”			

Example: PD-56729-PN
For 277V special order add “F” before the finish: PD-56729F-PN

ZENYA

DAMP

CALIFORNIA JA8 TITLE 24

- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-74223	23”	3000K	90	120V AC	20.3W	1000	600	ELV TRIAC	36,000 hours	BK GO	23”	23”	11”	20”	122”

Example: PD-74223-GO





INDOOR SCONCES

CLARE

NEW

This unique two-piece wall sconce showcases a ring of honed metal that elegantly frames a reclaimed crystal diffuser. Light shimmers through the flat crystal, side-lit by discreetly hidden LEDs. A faux leather strap, reminiscent of a racehorse's bridle, wraps around the ring, allowing the sconce to hang gracefully from a hook.

DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient illumination
- Artisanal reclaimed K5 crystal diffuser
- Smooth pebble grain faux leather



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-86516	16"	3000K	90	120/277 VAC	19.3W	2000	763	ELV TRIAC	50,000 hours	**BK/AN BW/AB**	10"	4"	16"

Example: WS-86516-BW/AB

CLASP

NEW

With its gracefully curved silhouette, this wall sconce blends sophistication with function. A central bar holds LEDs that reflect light from the aged brass interior, casting a soft, ambient glow that enhances any space.



DAMP ADA

- Hand-leafed interior

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-52523	23”	3000K	90	120/277 VAC	16.1W	1295	913	ELV TRIAC	50,000 hours	**BZ/GL**	6”	4”	23”

Example: WS-52523-BZ/GL

ELIXIR

NEW

It's Pure Magic. The opaque diffuser of this wall sconce is as intriguing as a magician's cape. It can be mounted in various orientations to cast a magical glow from its round opal glass diffuser, offering the option of uplight or Downlight—your choice for the perfect ambiance.



DAMP

CCT

- Mouth blown opal glass
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Can be mounted vertically or upside down

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-64513	13"	**-27** **-30** **-35** **-40**	90	120/277 VAC	12.9W	362	180	ELV TRIAC	50,000 hours	**NB/BK**	7"	7"	13"

Example: WS-64513-30-NB/BK

PIROUETTE

NEW

Turning Pointe. Evoking the elegance of a ballerina in mid-pirouette, this wall sconce features beautifully textured aged brass that gracefully wraps to minimize front illumination. Diagonally cut vertical ends add a dynamic touch, directing light into a warm wall wash above and below.



WS-94524 WS-94518

DAMP ADA CCT

- Ambient illumination and backlit
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-94518	18"	**-27** **-30**	90	120-277 VAC	29.2W	641	487	ELV TRIAC	54,000 hours	**AB** **BK** **BN**	5"	4"	18"
WS-94524	24"	**-35** **-40**			35.6W	3200	680						24"

Example: WS-94518-30-BN

ROYCE

NEW

Tiny shards of reclaimed crystal encased in a reflective white housing create dazzling, sparkling illumination. A curved metal envelope secures the sconce's diffuser, adding visual intrigue while subtly reflecting the light.



DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient illumination
- Artisanal reclaimed K5 crystal diffuser
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-96516	16"	3000K	90	120 VAC	21.6W	1130	800	ELV TRIAC	50,000 hours	**AB BK**	5"	4"	16"

Example: WS-96516-BK

STANCHION

NEW

DAMP

A polished white marble column beautifully frames an opal glass diffuser at its center, delivering elegant illumination from both the front and back. The stone centerpiece can be rotated up to 360 degrees to direct the light precisely where it's needed.





DAMP

CALIFORNIA JA8 TITLE 24

- Rotatable light source allows you to direct illumination
- White marble with unique veining and natural color variation in each distinctive piece
- Two different width illumination bands
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-72524	24"	3000K	90	120/277 VAC	14.5W	1102	518	ELV TRIAC	50,000 hours	**WT/BN**	6"	4"	24"

Example: WS-72524-WT/BN

STRAIT

NEW

This striking wall sconce showcases two angled bronze plates, elegantly divided by a white etched diffuser. LED light emanates outward in a clean, geometric glow, highlighting the fixture's modern design.



WS-82522
WS-W82522



WS-82516
WS-W82516

*See complementary piece on page 270

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Front and ambient illumination
- BK (Black) finish wet rated option is available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-82516	16"	**-27 -30 -35 -40**	90	120 VAC	14.8W	800	239	ELV TRIAC	50,000 hours	**AB**	6"	4"	16"
WS-82522	22"				20.4W	1000	394						22"
WS-W82516	16"				14.8W	800	239			**BK**			16"
WS-W82522	22"				20.4W	1000	394						22"

Example: WS-82516-30-AB



TAFFETA

NEW

Ruffled transparent live-edge quartz adds multi-faceted elegance to this wall sconce. A meticulously crafted quartz panel is secured by a sleek bar, allowing light to filter through the translucent stone, creating a warm and inviting ambiance.



DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient illumination
- Premium natural Spanish Alabaster with unique variegations in each piece.
- Raw edge Alabaster is characterized by varying contours
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-92518	18"	3000K	90	120/277 VAC	27.8W	2000	1634	ELV TRIAC	50,000 hours	**AB AN**	5"	3"	18"

Example: WS-92518-AB

TOULOUSE

NEW

Add a dose of luxury from the rich and varied look of real Spanish Alabaster, simply held by two metal accents. Diffused illumination glows from the stone creating an elegant, refined aesthetic.



WS-98324 WS-98318

DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Premium natural Spanish Alabaster with unique variegations in each piece
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-98318	18"	3000K	90	120 VAC	17.3W	1600	538	ELV TRIAC	54,000 hours	**AB AN**	6"	4"	18"
WS-98324	24"				28.9W	2831	712						24"

Example: WS-98318-AB

TOWER

NEW

A rectangular cylinder of ribbed glass, mounted on a sleek metallic backplate, creates a visually intriguing display. Metal caps on each end add a polished touch, and the wall sconce can be mounted vertically or horizontally to suit your space.



WS-58827 WS-58820 WS-58814

DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient and Downlight illumination
- V-cut seedy K5 crystal
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-58814	14"	3500K	90	120 VAC	15.4W	949	504	ELV	54,000 hours	**AB BN**	3"	3"	14"
WS-58820	20"				15.6W	961	618						20"
WS-58827	27"					1000	671						27"

Example: WS-58814-BN

AMARI

DAMP ADA

- Ambient illlumination
- Conversion plate included to accommodate for 4” junction box
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

*See complementary piece on page 75



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-79022	22”	3000K	90	120/277V	26.5W	1150	980	ELV	60,000 hours	**AB BK**	4”	4”	22”

Example: WS-79022-AB

BANTAM

DAMP ADA CCT

- Upward illlumination
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 1” slim junction box included and can be ordered separately (model# JB-0501)
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-38109	9”	**-27 -30 -35**	90	120 VAC	15.7W	393	288	ELV TRIAC	54,000 hours	**BK**	9”	4”	4”

Example: WS-38109-30-BK

BLADE

DAMP ADA

- Conversion plate included to accommodate 4” junction box
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



*See complementary piece on page 273

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-11511	11”	3000K	90	120 VAC	9.8W	753	621	ELV	42,000 hours	**AL BK WT**	3”	3”	11”

Example: WS-11511-WT
For 277V special order add “F” before the finish: WS-11511F-WT

BLAZE

DAMP ADA

- Hand-leafed interior
- ADA compliant (only 12” and 18” sizes only)
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.6” x 1.1”
- Can be mounted on ceiling or wall in all orientations



WS-30612

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-30612	12”	3000K	90	120-277V	11.3W	787	491	ELV TRIAC 0-10V	54,000 hours	**GL**	12”	3”	12”
WS-30618	18”				23W	1979	751				18”	4”	18”
WS-30624	24”				29.1W	2392	894				24”		24”

Example: WS-30612-GL

CURVANA

ADA

CALIFORNIA JA8 TITLE 24

- White fabric diffuser in a curved silhouette
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-60120	20"	3000K	90	120 VAC	10.8W	800	443	ELV TRIAC	54,000 hours	**AB**	10"	4"	20"

Example: WS-60120-AB

CYMBAL

DAMP

CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Artisan crafted hazy cloud acrylic. Each unique piece lends itself to variations in milkiness
- Driver concealed within the canopy
- Can be mounted on ceiling or wall in all orientations



*See complementary piece on page 88

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-62110	10"	3000K	90	120/277V	9.3W	580	434	ELV TRIAC	54,000 hours	**AB BK**	10"	3"	10"

Example: WS-62110-AB

DINK

DAMP ADA CALIFORNIA JA8 TITLE 24

- Hand-leafed interior
- Up and down illlumination
- Driver concealed within the fixture
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-32714	14"	3000K	90	120-277V	16W	1000	815	ELV 0-10V	55,000 hours	**GL**	7"	4"	14"

Example: WS-32714-GL

DOUBLE BUBBLE

DAMP CALIFORNIA JA8 TITLE 24

- Light is evenly diffused through laser etched crystal ball
- Driver concealed within the canopy



*See complementary piece on page 15, 88, 89, 90 and 152

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-82006	6"	3000K	90	120/277V	4W	384	365	ELV	50,000 hours	**AB BK SN**	6"	7"	9"

Example: WS-82006-SN

DOUBLE BUBBLE

DAMP · CALIFORNIA JA8 TITLE 24

- Light is evenly diffused through laser etched crystal ball
- Driver concealed within the canopy



*See complementary piece on page 15, 88, 89, 90 and 151

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-82015	15"	3000K	90	120/277V	8W	768	730	ELV	50,000 hours	**AB BK SN**	15"	7"	10"

Example: WS-82015-SN

DOWNTON

ADA · CALIFORNIA JA8 TITLE 24 · CCT

- White fabric diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-26111	11"	**-27 -30 -35**	90	120 VAC	15.8W	1000	679	ELV TRIAC	54,000 hours	**BN**	11"	4"	11"

Example: WS-26111-30-BN

ELESSAR

DAMP ADA

- Polished 304 stainless steel hardware, clear seedy crystal
- Upward and indirect illlumination
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"



WS-66641

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-66641	70"	3000K	90	120-277V	42.8W	1857	1817	ELV TRIAC	52,000 hours	**PN**	5"	4"	70"
WS-66734	34"				30.5W	1525	1507						34"

Example: WS-66641-PN

EZRA

DAMP CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Artisan crafted hazy cloud acrylic. Each unique piece lends itself to variations in milkiness
- Driver concealed within the canopy



*See complementary piece on page 93

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-96318	18"	3000K	90	120/277V	13.8W	840	628	ELV	50,000 hours	**BK**	6"	5"	18"

Example: WS-96318-BK

FIRENZE

DAMP

CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



*See complementary piece on page 94

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-40221	21"	3000K	90	120/277V	12.4W	1180	889	ELV TRIAC	42,000 hours	**AB AN**	7"	6"	21"

Example: WS-40221-AB

FLEUR

DAMP ADA

- 14k gold leaf interior
- Up and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-50222	22"	3000K	90	120 VAC	11.7W	215	201	ELV TRIAC	50,000 hours	**BZ/GL**	7"	4"	22"

Example: WS-50222-BZ/GL

HARMONIX

DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



*See complementary piece on page 96 and 97

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-87920	20”	3000K	90	120/277V	27.9W	1248	1211	ELV TRIAC	54,000 hours	**BK/AB**	7”	4”	20”

Example: WS-87920-BK/AB

KILT

DAMP CALIFORNIA JA8 TITLE 24 CCT

- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



*See complementary piece on page 17 and 102

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-44416	16”	**-27** **-30** **-35** **-40**	90	120/277V	8.3W	712	560	ELV	36,000 hours	**AB** **BK**	4”	4”	16”

Example: WS-44416-30-AB

LYRIKAL

DAMP ADA CCT

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- CCT switch installs in the canopy
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-10427	27"	**-27 -30 -35 -40**	90	120/277V	28.3W	2894	1792	ELV TRIAC	54,000 hours	**BK/AB**	5"	3"	27"

Example: WS-10427-30-BK/AB

MERCER

DAMP ADA CALIFORNIA JA8 TITLE 24

- Golden black marble accent with unique veining and natural color variation in each distinctive piece
- Up, down, and ambient illlumination
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-50324	24"	3000K	90	120/277V	18.9W	540	402	ELV TRIAC	50,000 hours	**BK/AB**	8"	3"	24"

Example: WS-50324-BK/AB

OPHELIA

DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Premium natural Spanish Alabaster with unique variegations in each piece
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-72210	10"	3000K	90	120 VAC	26.8W	2677	881	ELV TRIAC	54,000 hours	**AB AN**	10"	2"	10"

Example: WS-72210-AN

OPUS

DAMP ADA

- Up and down illlumination
- 14k gold leaf interior
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-42114	14"	3000K	90	120 VAC	21.4W	851	647	ELV TRIAC	54,000 hours	**BZ/GL**	7"	4"	14"

Example: WS-42114-BZ/GL

ORACLE

DAMP

CALIFORNIA JA8 TITLE 24

- Reclaimed K5 crystal
- Light is evenly diffused
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-69009	9"	3000K	90	120 VAC	10.9W	521	432	ELV TRIAC	54,000 hours	**AB**	7"	4"	9"

Example: WS-69009-AB

PALLADIAN

DAMP ADA

- Clear seedy crystal
- Up and down illlumination
- Transformer installs within the Junction Box, transformer dimension: 2.0" x 1.4" x 1.0"



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-11310	24"	3000K	90	120 VAC	11.5W	452	393	ELV	50,000 hours	**GL PN**	10"	3"	24"

Example: WS-11310-GL
For 277V special order, add "F" before the finish: WS-11310F-GL

POET

DAMP ADA

- Up and down illlumination
- Smooth pebble grain faux leather
- Driver concealed within the fixture
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-36112	12”	3000K	90	120/277V	20.6W	453	336	ELV	60,000 hours	**BK/AB**	6”	3”	12”

Example: WS-36112-BK/AB

ROWLINGS

DAMP ADA CALIFORNIA JA8 TITLE 24

- Down and ambient illlumination
- Premium natural Spanish Alabaster with unique variegations in each piece
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-82310	10”	3000K	90	120-277V	22.7W	1463	598	TRIAC 0-10V	54,000 hours	**AB BK**	10”	3”	10”

Example: WS-82310-AB

SARTRE

DAMP ADA CALIFORNIA JA8 TITLE 24

- Up and down illlumination
- Smooth pebble grain faux leather and geometric metalwork
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-80332	32”	3000K	90	120/277V	27.1W	1458	1082	ELV TRIAC	36,000 hours	**BK/AB**	14”	4”	32”

Example: WS-80332-BK/AB

SCEPTER

DAMP ADA

- Sparkling V-Cut K5 seeded crystal
- Ultra-bright lumen output from Downlight
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Conversion plate included for 4” junction box
- Driver installs within the Junction Box, driver dimension: 2 7/8” x 1 3/8” x 1 1/8”



*See complementary piece on page 268

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-10830	30”	3500K	90	120-277V	8.6W	617	456	ELV	50,000 hours	**AB**	3”	4”	30”

Example: WS-10830-AB

SENSU

DAMP ADA

- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-26417	17"	3000K	90	120/277V	12.8W	565	338	ELV TRIAC	48,000 hours	**AB AN**	17"	3"	11"

Example: WS-26417-AB

SERENITY

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisanal wispy glass diffuser. Each handcrafted piece is unique and lends itself to slight variations.
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



*See complementary piece on page 116

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-38211	11"	3000K	90	120/277V	14.7W	680	444	ELV TRIAC	54,000 hours	**AB BK**	10"	3"	11"

Example: WS-38211-BK

SLIDE

DAMP ADA

- Up and down illlumination
- Driver concealed within the fixture



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-27610	10”	3000K	90	120-277V	N/A	1409	1161	ELV TRIAC 0-10V	54,000 hours	**AL BK WT**	10”	4”	10”

Example: WS-27610-AL
Special Order: For 2700K add “-27”;3500K add “-35”; before finish WS-27610-27-AL

STEM

DAMP ADA CALIFORNIA JA8 TITLE 24

- Dark walnut wood veneer
- Sanded acrylic diffuser spreads light evenly
- Tempered glass conceals and protects LED modules inside
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-84819	19”	3000K	90	120 VAC	26.8W	1495	1267	ELV	54,000 hours	**DW**	7”	4”	19”

Example: WS-84819-DW

SWERVE

DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Driver installs within the Junction Box, driver dimension: 2.9” x 1.4” x 1.1”
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-20210	10”	3000K	90	120-277V	15W	990	593	ELV TRIAC 0-10V	42,000 hours	**BN BZ/BR**	10”	4”	5”

Example: WS-20210-BN

TRIBECA

DAMP ADA CALIFORNIA JA8 TITLE 24

- Hand-leafed interior
- Up and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-40832	32”	3000K	90	120 VAC	21.1W	1167	760	ELV TRIAC	54,000 hours	**BZ/GL**	8”	4”	32”

Example: WS-40832-BZ/GL
For 277V special order add “F” before the finish: WS-40832F-BZ/GL

VANDER

DAMP ADA CALIFORNIA JA8 TITLE 24

- Woven fabric diffuser and geometric metalwork
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-26222	22"	**-27** **-30** **-35**	90	120 VAC	10.7W	882	543	ELV TRIAC	54,000 hours	**BK**	6"	4"	22"

Example: WS-26222-30-BK

VERMEIL

DAMP ADA

- Up and down illlumination
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-11311	10"	3000K	90	120 VAC	11.4W	452	393	ELV	50,000 hours	**GL**	10"	3"	5"

Example: WS-11311-GL
For 277V special order, add "F" before the finish: WS-11311F-GL

ZURICH

DAMP ADA CALIFORNIA JA8 TITLE 24

- Golden black marble accent with unique veining and natural color variation in each distinctive piece
- Ambient and downward illlumination
- Driver concealed within the canopy





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-48318	18”	3000K	90	120/277V	18.9W	680	467	ELV TRIAC	50,000 hours	**BK/AB**	5”	3”	18”

Example: WS-48318-BK/AB





BATH & VANITY

CARLISLE

NEW

Modern Geometry. Rectilinear shapes intersect with triangles, creating a bold graphic frame that holds a diffused light bar. The sleek silhouette casts a warm glow into the surrounding space.





WS-7511



WS-7520



WS-7527



WS-7537

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- White ceramic silk-screened mitered glass
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology
- The 11" fixture can be mounted vertically or upside down. The 20", 27", and 37" fixtures can be mounted on the wall in any orientation.

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-7511	11"	**-27** **-30** **-35** **-40**	90	120 VAC	17.9W	1459	786	ELV TRIAC	50,000 hours	**AB** **BN**	5"	3"	11"
WS-7520	20"				33.4W	2756	1593				20"		
WS-7527	27"				39.1W	3824	2221				27"		5"
WS-7537	37"				58.3W	5431	3241				37"		

Example: WS-7527-30-AB

DECO

NEW

Textural Piastri glass and jewelry-inspired metal bands adorn this elegant bath vanity light. The sparkling, three-dimensional glass forms a graceful, bow-like silhouette, illuminated from within by discreetly hidden LEDs.

DAMP ADA CALIFORNIA JA8 TITLE 24

- Art glass and silicon diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-8536



WS-8524

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-8524	24"	**-27** **-30**	90	120/277 VAC	15W	1200	729	ELV TRIAC	50,000 hours	**AB** **BN**	24"	4"	7"
WS-8536	36"	**-35** **-40**			20.6W	1500	1010				36"		

Example: WS-8536-30-AB

FRESCO

NEW

Objet d'Art. A trio of handcrafted wispy glass plates are elegantly suspended from a sleek linear bar. Behind each uniquely textured glass piece, circular light sources emit a soft, radiant glow, illuminating the delicate variations in the artisanal glass for a truly luxurious ambiance.

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisanal wispy glass diffuser accent. Each handcrafted piece is unique and lends itself to slight variations
- Mouth blown etched opal glass at the center
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-66534



WS-66525

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-66525	25"	3000K	90	120-277 VAC	19.4W	1572	809	ELV TRIAC 0-10V	50,000 hours	**BK** **BN**	25"	4"	8"
WS-66534	34"				27W	2176	1141				34"		

Example: WS-66534-BN

ICE BAR

NEW

Frozen. This bath vanity light showcases a substantial gleaming backplate behind a clear glass diffuser. The etched glass interior adds texture, creating a glowing rectangle of soft illumination from concealed LEDs.

*See complementary piece on page 254



WS-16520



WS-16528

ETL LISTED US · DAMP · ADA · CALIFORNIA JA8 TITLE 24 · CCT

- Clear mitered glass encases an interior silk screened glass diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

WS-16538

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-16520	20"	**-27** **-30** **-35** **-40**	90	120-277 VAC	30.9W	3167	1597	ELV TRIAC 0-10V	50,000 hours	**AB** **BN**	20"	3"	5"
WS-16528	28"				36.9W	3759	1914				28"		
WS-16538	38"				41.7W	4407	2361				38"		

Example: WS-16528-30-AB

MONTAGE

NEW

Architectural appeal. Cantilevered columns of reclaimed K5 crystal extend from a sturdy frame, creating alluring illumination from hidden LEDs.

*See complementary piece on page 56

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisanal reclaimed K5 crystal diffuser
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-54424



WS-54432

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-54424	24"	3000K	90	120/277 VAC	28.5W	2023	1146	ELV TRIAC	50,000 hours	**BK** **BN**	24"	4"	6"
WS-54432	32"				29.2W	2551	1547				32"		

Example: WS-54424-BN

RIBEYE

NEW

A ribbed glass tube upheld by a completely ribbed column creates an elegant sconce. Textured illumination from its integrated LED filament enhances the space.



WS-50518

DAMP ADA

- Extruded reeded glass Tiffany-style art glass shades
- Grooved pattern frame
- Driver concealed within the canopy
- 28" can be mounted on wall in all orientations
- 18" can be mounted vertically or upside down



WS-50528

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-50518	19"	3000K	90	120/277 VAC	10.3W	692	525	ELV TRIAC	50,000 hours	**AB** **BN**	5"	4"	19"
WS-50528	28"				13.8W	996	720						28"

Example: WS-50528-AB

SKEIN

NEW

An elongated bar of sparkling crystal and acrylic casts intricate striations of light, defining a sleek and sophisticated wall sconce design.

DAMP ADA CALIFORNIA JA8 TITLE 24

- Sparkling V-Cut K5 seeded crystal
- ACLED driverless technology
- Can be mounted on wall in all orientation



WS-3527



WS-3533

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-3527	27”	3000K	90	120 VAC	17.4W	1310	1001	ELV TRIAC	50,000 hours	**AB BN**	27”	4”	3”
WS-3533	33”				23.4W	1799	1260				33”		

Example: WS-3533-BN

SWALE

NEW

Luxe Industrial. A bold trapezoidal channel features modern, clean lines. An etched acrylic rod complements its sleek silhouette, diffusing LED light into a radiant, even glow.



WS-1520



WS-1527

DAMP ADA CALIFORNIA JA8 TITLE 24

- White ceramic silk-screened mitered glass
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on ceiling or wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-1520	20"	**-27** **-30**	90	120-277 VAC	20.2W	2000	1542	ELV TRIAC	54,000 hours	**AB** **BN**	20"	4"	5"
WS-1527	27"	**-35** **-40**			35.2W	3745	2562				27"		

Example: WS-1520-30-AB

TABLEAU

NEW

Ovals and rings intertwine in a striking geometric composition of clean, elegant lines. Meticulously cut art glass diffusers are beautifully illuminated from the side by hidden LEDs, casting shimmering circles of light. This Deco-inspired wall sconce offers versatile installation options, allowing it to be mounted vertically or horizontally.



*See complementary piece on page 226

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Meticulously cut, circular Tiffany-style art glass diffusers
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-42525	24"	**-27** **-30** **-35** **-40**	90	120/277 VAC	19.4W	1611	939	ELV TRIAC	50,000 hours	**BK**	24"	2"	7"

Example: WS-42525-30-BK

0 TO 60

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Adjustable backplate offers flexible mounting and accommodates to off-center junction box locations
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-56124	24"	**-27** **-30** **-35**	90	120 VAC	10.3W	871	485	ELV TRIAC	60,000 hours	**BK** **BN**	24"	3"	3"

Example: WS-56124-30-BN

ACROPOLIS

DAMP ADA CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Can be mounted upside down
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology





WS-68137

*See complementary piece on page 74

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-68127	27"	3000K	90	120 VAC	33.6W	1970	1733	ELV TRIAC	60,000 hours	**AB** **BN**	27"	4"	9"
WS-68137	37"				46W	1809	1596	ELV			37"		

Example: WS-68127-AB

ASCOT

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisanal wispy glass diffuser. Each handcrafted piece is unique and lends itself to slight variations.
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-46434

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-46422	22"	3000K	90	120/277V	19.8W	1630	746	ELV TRIAC	42,000 hours	**AB**	22"	3"	5"
WS-46434	34"				27W	2100	1321				34"		

Example: WS-46422-AB

BAHN

DAMP ADA CALIFORNIA JA8 TITLE 24

- White ceramic silk-screened mitered glass
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or horizontally



WS-6826

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-6826	26"	3000K	90	120 VAC	38W	3230	1440	ELV	80,000 hours	**BN**	26"	3"	5"
WS-6838	38"				58W	4845	1815				38"		

Example: WS-6826-BN

BARRE

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-68227

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-68227	27"	**-27**	90	120 VAC	17.1W	1789	1467	ELV TRIAC	54,000 hours	**BN**	27"	4"	3"
WS-68237	37"	**-30** **-35**			22.8W	2465	1999				37"		

Example: WS-68227-30-BN

CADENCE

DAMP ADA CALIFORNIA JA8 TITLE 24

- Rotate the bar up to 360-degree to adjust for direct or indirect illlumination
- Square and round conversion plates included to accommodate to 4" junction box for added customization
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Driver installs within the Junction Box, driver dimension: 2.8" X 1.3" X 1.2"
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-54127	27"	3000K	90	120-277V	11.2W	1088	981	ELV TRIAC 0-10V	54,000 hours	**BN**	27"	4"	2"

Example: WS-54127-BN

CERES

DAMP ADA CALIFORNIA JA8 TITLE 24

- Sparkling V-Cut K5 seeded crystal
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Conversion plate included for 4” junction box
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-18818	18”	3500K	90	120V	14.6W	1054	971	ELV TRIAC	50,000 hours	**AB**	5”	4”	18”

Example: WS-18818-AB

CINCH

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Adjustable backplate accommodates to off-center junction box locations
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4” junction box
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-34125

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-34119	19”	**-27 -30 -35**	90	120/277V	24.5W	2221	1230	ELV	42,000 hours	**BN**	19”	3”	3”
WS-34125	25”				31.7W	2755	1589				25”		
WS-34137	37”				39.8W	3583	2022				37”		

Example: WS-34119-30-BN

CINEMA

DAMP ADA

- Sparkling V-Cut K5 seeded crystal
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”

*See complementary piece on page 9, 36, and 86



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-30815	15”	3500K	90	120-277V	7.5W	544	423	ELV	50,000 hours	**AB BK**	6”	4”	15”

Example: WS-30815-AB

CINEMA

DAMP ADA

- Sparkling V-Cut K5 seeded crystal
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”
- Can be mounted on wall in all orientations

*See complementary piece on page 9, 36, and 86



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-30835	35”	3500K	90	120-277V	20.7W	953	499	ELV	50,000 hours	**AB BK**	5”	4”	35”

Example: WS-30835-AB

CLOUD

DAMP ADA

- Clear mitered glass
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations

WS-3418

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-3418	18"	3000K	90	120 VAC	15.4W	1507	836	ELV	60,000 hours	**CH**	18"	3"	5"
WS-3428	28"				26.4W	2486	1388				28"	2"	

Example: WS-3418-CH
For 277V special order, add "F" before the finish: WS-3418F-CH

EMBER

DAMP ADA CALIFORNIA JA8 TITLE 24

- Reclaimed K5 crystal
- Minimal exposed hardware
- Conversion plate included to accommodate 4" junction box
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-65023	23"	3000K	90	120-277V	17.3W	1332	885	ELV TRIAC 0-10V	36,000 hours	**AB AN**	3"	4"	23"

Example: WS-65023-AB

EMBLEM

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisanal diffuser made with reclaimed crystal
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



*See complementary piece on page 214



WS-32128

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-32128	28"	3000K	90	120/277V	20.1W	1394	1127	ELV TRIAC	36,000 hours	**AB BN**	28" 38"	4"	5"
WS-32138	38"				29.1W	1821	1507						

Example: WS-32128-AB

GATSBY

DAMP ADA CALIFORNIA JA8 TITLE 24

- White ceramic silk-screened mitered glass
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-53932	32"	3000K	90	120 VAC	25W	2000	1437	ELV	54,000 hours	**AB PN**	6"	4"	32"

Example: WS-53932-AB

GLACIER

DAMP ADA CALIFORNIA JA8 TITLE 24

- Piastra glass
- Up and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-12721	21”	3000K	90	120 VAC	10W	830	175	ELV	50,000 hours	**CH**	6”	3”	21”

Example: WS-12721-CH
For 277V special order, add “F” before the finish: WS-12721F-CH

ICE

DAMP ADA CALIFORNIA JA8 TITLE 24

- Sparkling glass diffuser creates crystalline effect
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-57927

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-57927	27”	3500K	90	120 VAC	24W	1800	1420	ELV	50,000 hours	**CH**	27”	3”	3”
WS-57937	37”				27W	2400	1720				37”		

Example: WS-57927-CH

JAVELIN

DAMP ADA

- Premium natural Spanish Alabaster with unique variegations in each piece
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-20428

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-20418	18"	3000K	90	120/277V	15.4W	1411	795	ELV TRIAC	42,000 hours	**AB BN**	18"	3"	5"
WS-20428	28"				28.1W	2520	1342				28"		

Example: WS-20418-AB

JULIET

DAMP CALIFORNIA JA8 TITLE 24

- Thick sculptural K9 faceted crystal with distinct asymmetrical cuts
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



*See complementary piece on page 101 and 195

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-58115	15"	3500K	90	120/277V	8.1W	665	466	ELV	42,000 hours	**AB BK BN**	27"	5"	5"

Example: WS-58115-BN

JULIET

DAMP · CALIFORNIA JA8 TITLE 24

- Thick sculptural K9 faceted crystal with distinct asymmetrical cuts
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

*See complementary piece on page 101 and 194



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-58127	27"	3500K	90	120/277V	14.6W	1330	1036	ELV TRIAC	42,000 hours	**AB BK BN**	5"	5"	15"

Example: WS-58127-BN

LANZA

DAMP · ADA · CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-52427

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-52427	27"	3000K	90	120 VAC	25.5W	2318	1281	ELV TRIAC	54,000 hours	**AB BK**	27"	2"	4"
WS-52434	34"				38.8W	3743	1718				34"		

Example: WS-52427-AB

LIGHTSTICK

DAMP ADA CALIFORNIA JA8 TITLE 24

- Co-extruded acrylic diffuser
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations

WS-47919

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-47919	19"	3000K	90	120 VAC	16.8W	1268	975	ELV	54,000 hours	**AL WT**	19"	2"	1"
WS-47925	25"				22.4W	1708	1375				25"		
WS-47937	37"				33.2W	2450	1949				37"		
WS-47949	49"				44W	3171	2479				49"		
WS-47961	61"				45.9W	3651	2826				61"		
WS-47973	73"				66W	4900	3782				73"		

Example: WS-47919-AL

LIOR

DAMP CALIFORNIA JA8 TITLE 24 **PATENTED**

- Each unique free formed handcrafted piece lends itself to variations in size and curvature
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-58338

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-58329	29"	3000K	90	120-277V	30.5W	2513	1284	ELV TRIAC 0-10V	60,000 hours	**BK**	29"	6"	7"
WS-58338	38"				42.5W	3050	1559				38"		

Example: WS-58329-BK

LOFT

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Mouth-blown etched opal glass diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



WS-3611

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-3611	11"	3000K	90	120 VAC	14W	1000	714	ELV	80,000 hours	**BN CH**	5"	3"	11"

Example: WS-3611-BN
Special Order: For 2700K add "-27";3500K add "-35"; before finish WS-3611-35-BN
For 277V special order add "F" before the finish: WS-3611F-BN

LOFT

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Mouth-blown etched opal glass diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-3618

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-3618	18"	3000K	90	120 VAC	28W	2000	1650	ELV	80,000 hours	**BN CH**	19"	3"	5"
WS-3624	24"				30W	2800	1956				25"		

Example: WS-3618-CH
Special Order: For 2700K add "-27";3500K add "-35"; before finish WS-3618-35-CH
For 277V special order add "F" before the finish: WS-3618F-CH

LUZERNE

DAMP ADA CALIFORNIA JA8 TITLE 24

- Extruded reeded glass
- Inner plate creates a mirrored effect
- Conversion plate included to accommodate 4” junction box
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-30118

*See complementary piece on page 104 and 105

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-30118	18”	3000K	90	120 VAC	16.2W	1385	876	ELV TRIAC	54,000 hours	**AB BN**	18”	4”	4”
WS-30128	28”				21.4W	1848	1345				28”		

Example: WS-30118-BN

MAGIC

DAMP ADA

- Artisanal Piastra crystal
- Up and down illlumination
- Driver installs within the Junction Box, driver dimension: 3” x 1.9” x 1.3”



*See complementary piece on page 19, 105 and 199

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-12620	20”	3000K	90	120-277V	8.0W	367	323	ELV TRIAC 0-10V	50,000 hours	**BK PN**	5”	3”	20”

Example: WS-12620-PN

MAGIC

DAMP ADA

- Artisanal Piastra crystal
- Up and down illlumination
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”



*See complementary piece on page 19, 105 and 198

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-12632	32”	3000K	90	120-277V	11.1W	535	437	ELV 0-10V	50,000 hours	**BK PN**	5”	3”	32”

Example: WS-12632-PN

MINI LOFT

DAMP ADA CCT

- Co-extruded clear and white acrylic diffuser
- Conversion plate included to accommodate 3” switch box
- Option to pre-select color temperature or adjust in the field
- Adjustable backplate accommodates to off-center junction box locations
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Driver installs within the Junction Box, driver dimension: 2.8” x 1.3” x 1.2”
- Can be mounted on wall in all orientations

WS-14818

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-14818	18”	3000K	90	120-277V	16.7W	1263	1167	ELV TRIAC	54,000 hours	**BN CH**	19”	3”	3”
WS-14824	24”				21.6W	1787	1661				25”		

Example: WS-14818-CH

MINI VOGUE

DAMP ADA CCT

- Extruded acrylic diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included for 4" junction box
- Adjustable backplate accommodates to off-center junction box locations
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Can be mounted on wall in all orientations



WS-21718

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-21718	20"	**-27** **-30** **-35**	90	120-277V	15.6W	1233	1175	ELV	54,000 hours	**BK** **BN** **CH**	20"	3"	3"
WS-21724	26"				20.5W	1649	1567				26"		
WS-21736	38"				29.5W	2669	2363				38"		

Example: WS-21718-30-BN

MINX

DAMP ADA CALIFORNIA JA8 TITLE 24

- Reclaimed K5 crystal
- Downlight illlumination
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down

*See complementary piece on page 21, 109, 110 and 201



WS-62021

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-62021	21"	3000K	90	120-277V	17.2W	1183	909	ELV TRIAC 0-10V	42,000 hours	**AB** **BN**	21"	4"	6"
WS-62029	29"				25.2W	1582	1131				29"		
WS-62039	39"				31.6W	2240	1827				39"		

Example: WS-62021-BN

MINX

DAMP ADA

- Reclaimed K5 crystal
- Up and down illlumination
- Minimal exposed hardware
- Driver concealed within the fixture



*See complementary piece on page 21, 109, 110 and 200

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-68026	26"	3000K	90	120-277V	9W	615	507	ELV TRIAC 0-10V	54,000 hours	**AB AN**	5"	3"	26"

Example: WS-68026-AN

NEO

DAMP ADA

- Edge-lit technology
- Transformer installs within the Junction Box, transformer dimension: 2.0" x 1.4" x 1.0"
- Can be mounted on ceiling or wall in all orientations

WS-3736

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-3724	24"	3000K	90	120 VAC	31.3W	3008	1220	ELV	50,000 hours	**AL**	24"	1"	5"
WS-3736	36"				40.6W	3720	1697				36"		

Example: WS-3724-AL
For 277V special order add "F" before the finish: FM-3724F-AL

OPEN BAR

DAMP ADA CALIFORNIA JA8 TITLE 24

- 1” slim junction box included and can be ordered separately (model# JB-0501)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4” junction box
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations

WS-52127

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-52127	27”	**-27**	90	120 VAC	17.2W	1140	815	ELV TRIAC	54,000 hours	**BK**	27”	4”	2”
WS-52137	37”	**-30** **-35**			22.9W	1369	1112			**BN**	37”		

Example: WS-52127-30-BK

POLAR

DAMP ADA

- White ceramic silk-screened mitered glass
- Transformer installs within the Junction Box, transformer dimension: 2.0” x 1.4” x 1.0”
- Can be mounted on wall in all orientations

WS-3226

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-3226	26”	3000K	90	120 VAC	45W	2617	1451	ELV	46,000 hours	**BN**	26”	3”	5”
WS-3240	40”				75W	4037	2451				40”		

Example: WS-3226-BN
For 277V special order, add “F” before the finish: WS-3226F-BN

POSH

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisanal reclaimed K5 crystal diffuser
- Inner plate creates a mirrored effect
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-14421

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-14421	21"	3000K	90	120/277V	19.5W	1618	631	ELV TRIAC	36,000 hours	**BK BN**	21"	3"	5"
WS-14428	29"				22.8W	1770	685				29"		

Example: WS-14421-BK

QUARRY

DAMP ADA CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-60018

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-60018	18"	3000K	90	120 VAC	22.4W	1893	1052	ELV	54,000 hours	**AB BN**	18"	3"	6"
WS-60028	28"				40.2W	3211	2013				28"		

Example: WS-60018-BN

REGAL

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisanal diffuser made with reclaimed crystal
- Driver concealed within the canopy
- Can be mounted on wall in all orientations





WS-46118

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-46118	18"	3000K	90	120/277V	16.5W	1440	874	ELV TRIAC	42,000 hours	**AB BN**	18"	4"	5"
WS-46128	28"				24.7W	2240	1147				28"		

Example: WS-46118-BN

SABRE

ADA WET IP65

- Extruded acrylic diffuser
- Conversion plate included for 4" junction box
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Can be mounted on wall in all orientations

*See complementary piece on page 291



WS-W81619

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W81619	19"	3500K	90	120-277V	15.3W	1342	1267	ELV	54,000 hours	**AL**	19"	3"	3"
WS-W81625	25"				20.2W	1828	1730				25"		

Example: WS-W81619-BN

SOFIA

DAMP ADA

- Hand-cut faceted crystal
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations

WS-13619

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-13619	19"				18.5W	1091	994				19"		
WS-13630	30"	3500K	90	120 VAC	27.8W	1611	1521	ELV	36,000 hours	**PN**	30"	3"	5"
WS-13641	41"				36.9W	3200	1939				41"		

Example: WS-13619-PN

SWOOP

DAMP ADA

- Fixed illuminated silica strands
- Driver concealed within the canopy





WS-32424

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-32424	24"	3000K	90	120/277V	20.5W	1663	848	ELV TRIAC	36,000 hours	**BK**	24"	4"	7"
WS-32434	34"				20W	1927	983			**BN**	34"		9"

Example: WS-32424-BK

TANDEM

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisan crafted milky cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Conversion plate included to accommodate 4” junction box
- Trimless spackle cover available for 4” square junction box recessed in drywall thicknesses of 1/2”, 5/8”, 1”, and 1-1/4”; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-50127

*See complementary piece on page 118

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-50127	27”	3000K	90	120/277V	27.7W	3185	1910	ELV	42,000 hours	**BK**	27”	2”	3”
WS-50137	37”				33.7W	3675	1636				37”		

Example: WS-50127-BK

TERRA

DAMP ADA CALIFORNIA JA8 TITLE 24

- Artisanal reclaimed K5 crystal diffuser
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-84320

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-84320	20”	3000K	90	120-277V	16.6W	2495	898	ELV TRIAC 0-10V	55,000 hours	**AB BK**	20”	4”	5”
WS-84334	34”				29.9W	5070	1826				34”		

Example: WS-84320-BK

VODKA

DAMP ADA CALIFORNIA JA8 TITLE 24

- Tempered, mitered glass diffuser with beaded crystalline effect
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-25827

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-25827	27"	3500K	90	120 VAC	40.9W	4216	2620	ELV TRIAC	54,000 hours	**CH**	27"	3"	5"
WS-25837	37"				61.4W	6224	4137				37"		

Example: WS-25827-CH

VOGUE

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Mouth-blown opal glass diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



WS-3111

*See complementary piece on page 208

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-3111	11"	3000K	90	120 VAC	15.9W	1474	948	ELV	54,000 hours	**BN BR BZ CH**	5"	3"	11"
WS-3115	15"				23.3W	2295	1510						15"

Example: WS-3111-BN
Special Order: For 2700K add "-27";3500K add "-35"; before finish WS-3111-35-BN
For 277V special order, add "F" before the finish: WS-3111F-BN

VOGUE

DAMP ADA CALIFORNIA JA8 TITLE 24

- Mouth-blown opal glass diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-3120

*See complementary piece on page 207

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-3120	20"				33.9W	2849	2139				20"		
WS-3127	27"	3000K	90	120 VAC	40.6W	3895	2993	ELV	50,000 hours	**BN BR BZ CH**	27"	3"	5"
WS-3139	39"				66.2W	5574	4364				39"		

Example: WS-3120-BN
Special Order: For 2700K add "-27";3500K add "-35"; before finish WS-3120-35-BN
For 277V special order, add "F" before the finish: WS-3120F-BN



FLUSH MOUNTS

COPA

NEW

Like a precious jewel, a ring of natural Spanish Alabaster is cradled by shining arms. The flush mount casts distinctive light patterns, showcasing the stone's beautiful variegations.

*See complementary piece on page 40

DAMP

CALIFORNIA JA8 TITLE 24

- Premium natural Spanish Alabaster with unique variegations in each piece
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-54519	19"	3000K	90	120/277 VAC	25.9W	3296	1371	ELV TRIAC	50,000 hours	**AB AN**	19"	19"	8"

Example: FM-54519-AB

EMBLEM

NEW

A refined update to traditional styles. A compelling blend of a cross-brace design holding reclaimed crystal panels and LED technology creates a peerless, enduring look for contemporary spaces.

*See complementary piece on page 192

DAMP

CALIFORNIA JA8 TITLE 24

- Artisanal diffuser made with reclaimed crystal
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-32112	12"	3000K	90	120-277 VAC	32W	2272	1987	ELV TRIAC 0-10V	54,000 hours	**AB BN**	11"	11"	12"

Example: FM-32112-AB

GILT

NEW

Hand finished in dark bronze with gold-leaf interior, Gilt has an opulent lustrous appeal. An etched dome glass diffuser conceals a powerful LED array for generous illumination.

*See complementary piece on page 95

DAMP

CALIFORNIA JA8 TITLE 24

- Hand-leafed interior
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



FM-51322



FM-51318

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-51318	18"	3000K	90	120 VAC	35W	3013	1455	ELV TRIAC	50,000 hours	**GL**	18"	18"	5"
FM-51322	22"				61.6W	4183	2544				22"	22"	6"

Example: FM-51322-GL

ILLUSION

NEW

Perfect in design and function. Oval shaped, etched opal glass provides beautiful and consistent illumination from integral LEDs concealed within.

*See complementary piece on page 99

DAMP

CALIFORNIA JA8 TITLE 24

CCT

- Mouth blown etched opal glass
- Driver concealed within the canopy
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-72322	22”	**-27** **-30** **-35**	90	120/277 VAC	29.3W	3370	2179	ELV TRIAC	50,000 hours	**AB** **BK**	22”	22”	14”

Example: FM-72322-30-AB

OUT OF THIS WORLD

NEW

In an otherworldly, oversized design, flat ovals of aged brass and black are playfully arranged across the ceiling, while cloudy opal art glass spheres seem to dance gracefully among them. LEDs inside softly illuminate the glass, casting a warm, radiant glow that fills the space.

DAMP

CALIFORNIA JA8 TITLE 24

- Mouth blown cloudy seedy glass
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-10527	27”	3000K	90	120/277 VAC	19.4W	1223	524	ELV TRIAC	50,000 hours	**BK**	27”	20”	8”

Example: FM-10527-BK

PEARLA

NEW

An oversized flush mount light composed of dramatic three-dimensional mouth-blown art glass diamonds and orbs cascading from a polished round canopy. This bold design creates a dramatic focal point, elevating any space with its extraordinary presence.

DAMP

CALIFORNIA JA8 TITLE 24

- Mouth blown art glass comprised of individually unique, shimmering patterns
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-2523	24"	3000K	90	120 VAC	26.5W	2482	2152	ELV TRIAC	50,000 hours	**AB BK**	11"	11"	23"

Example: FM-2523-AB

PRESTON

NEW

Elevate your ceiling with this elegant fixture, defined by its dramatic opal diffuser encased in a polished circular frame. The etched diffuser softly diffuses the light from the integrated LED, creating a warm and inviting glow.



DAMP

CALIFORNIA JA8 TITLE 24

CCT

- Mouth blown opal glass
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology



FM-12516



FM-12508

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-12508	8"	**-27** **-30**	90	120 VAC	9.7W	964	575	ELV TRIAC	50,000 hours	**AB** **BK**	8"	8"	4"
FM-12516	16"	**-35** **-40**			27.6W	2924	1666				16"	16"	9"

Example: FM-12508-30-BK

TABLEAU

NEW

Ovals descend in a striking geometric composition of clean, elegant lines. Three sizes of meticulously cut art glass diffusers are beautifully illuminated from the side by hidden LEDs, casting shimmering circles of light.



*See complementary piece on page 184

DAMP · CALIFORNIA JA8 TITLE 24 · CCT

- Meticulously cut, circular Tiffany-style art glass diffusers
- 6" and 8" extension tube can be purchased separately for customization.
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-42551	51"	**-27** **-30** **-35** **-40**	90	120-277 VAC	54.6W	4000	2531	ELV TRIAC 0-10V	54,000 hours	**BK**	24"	24"	51"

Example: FM-42551-30-BK

TINZEL

NEW

A slim strip of LED illumination casts a radiant glow, reflecting off the textured gold leaf interior of the Tinzel flush mount light to create a lustrous, luxurious statement in any space.



DAMP

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-18518	18"	**-27** **-30** **-35** **-40**	90	120-277 VAC	35.4W	1420	678	ELV TRIAC 0-10V	50,000 hours	**BK/GL**	18"	18"	3"

Example: FM-18518-30-BK/GL

ARGO

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- 1” profile, edge-lit illlumination
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the fixture
- Can be mounted on ceiling or wall in all orientations



FM-4219

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-4207	7”				14.9W	1391	1060				7”	7”	
FM-4211	11”	**-27**			20.6W	2109	1521			**BK**	11”	11”	
FM-4215	15”	**-30** **-35**	90	120-277V	27.5W	3084	2278	ELV TRIAC	60,000 hours	**BN** **WT**	15”	15”	1”
FM-4219	19”				32.7W	3985	2389				19”	19”	

Example: FM-4207-30-BN

BRODY

DAMP

- Up and ambient illlumination
- Smooth pebble grain faux leather
- Driver concealed within the canopy
- Can be mounted on ceiling or wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-88422	22”	3000K	90	120/277V	27.3W	2723	708	ELV TRIAC	54,000 hours	**BK/AB**	22”	22”	6”

Example: FM-88422-BK/AB

CASCADE

DAMP ADA

- Hand-cut faceted K9 crystal
- Spin-on round canopy with minimal hardware
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



*See complementary piece on page 11 and 82

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-41706	6"	3500K	90	120 VAC	13W	1200	1018	ELV TRIAC	54,000 hours	**AB BK PN**	6"	6"	4"

Example: FM-41706-BK

CATALONIA

DAMP ADA CALIFORNIA JA8 TITLE 24

- Ambient illlumination
- Premium natural Spanish Alabaster with unique variegations in each piece
- Driver concealed within the canopy
- Can be mounted on ceiling or wall in all orientations



FM-60211

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-60211	11"	3000K	90	120-277V	26.9W	1802	1075	ELV TRIAC 0-10V	42,000 hours	**AB AN**	11"	11"	3"
FM-60217	17"				37W	2647	1627				17"	17"	4"

Example: FM-60211-AB

CHAOS

DAMP · CALIFORNIA JA8 TITLE 24

- Fixed sculptural form
- Driver concealed within the canopy
- Can be mounted on ceiling or wall in all orientations



*See complementary piece on page 13, 83, 84, 85, and 275

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-64817	17”	3000K	90	120-277V	41.1W	3600	2240	ELV TRIAC 0-10V	42,000 hours	**AB AL BK**	16”	17”	10”

Example: FM-64817-BK

CIRCA

DAMP · ADA · CALIFORNIA JA8 TITLE 24 · CCT

- Etched pressed glass diffuser with interior ceramic glaze
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 3CCT switch installs within the junction box
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



FM-2111

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-2111	11”	**-27 -30 -35**	90	120 VAC	27.6W	2625	1127	ELV TRIAC	54,000 hours	**BK TT**	11”	11”	3”
FM-2115	14”				30.3W	3135	1983				14”	14”	

Example: FM-2111-30-BK
For 277V special order, add “F” before the color temperature: FM-2111F-30-BK

ECHELON

DAMP

CALIFORNIA JA8 TITLE 24

- Mouth-blown etched opal glass
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



*See complementary piece on page 91 and 92

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-94314	14"	3000K	90	120V AC	29.1W	2315	1067	ELV	54,000 hours	**AB BK**	14"	14"	6"

Example: FM-94314-AB

FLUFFY

DAMP

CALIFORNIA JA8 TITLE 24

- Glowing cluster of interlocked petal diffusers
- Magnetic tool free diffuser installation for easy cleaning
- Driver concealed within the canopy





FM-59922

*See complementary piece on page 94

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-59922	22"	3000K	90	120-277V	31.5W	2718	2333	ELV TRIAC 0-10V	42,000 hours	**BN**	22"	22"	5"
FM-59933	33"				44W	3980	3375				34"	34"	10"

Example: FM-59922-BN

GROMMET

DAMP ADA CALIFORNIA JA8 TITLE 24 CCT

- Octagonal geometric profile
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



FM-30213

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-30213	13"	**-27**	90	120 VAC	21W	1800	1136	ELV TRIAC	54,000 hours	**AB**	13"	13"	3"
FM-30216	16"	**-30** **-35**			27W	2400	1649				16"	16"	

Example: FM-30213-30-AB

LANDED

DAMP

- Premium natural Spanish Alabaster with unique variegations in each piece
- Driver concealed within the canopy
- Can be mounted on ceiling or wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-16412	12"	3000K	90	120-277V	37.1W	2393	1322	ELV TRIAC 0-10V	54,000 hours	**AB** **BK**	12"	12"	5"

Example: FM-16412-AB

MATRIX

DAMP ADA CALIFORNIA JA8 TITLE 24

- Etched pressed glass diffuser with interior ceramic glaze
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 3CCT switch installs within the junction box
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Energy Star for 12" only
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



FM-2009

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-2009	9"	**-27**	90	120 VAC	32W	2897	1294	ELV TRIAC	54,000 hours	**TT**	9"	9"	3"
FM-2012	12"	**-30** **-35**			30.1W	3128	1309				12"	12"	

Example: FM-2009-30-TT
For 277V special order, add an "F" before the finish: FM-2009F-35-BK

METROPOLIS

DAMP

- Frosted glass diffuser with cotton diffuser and outer chiffon diffuser
- Ultra-bright lumen output
- 277V option available for 18" and 24" only, not available for 30"
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



FM-16830

*See complementary piece on page 107 and 108

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-16818	18"	3000K	90	120 VAC	26W	2015	1996	ELV TRIAC	54,000 hours	**BN**	18"	18"	6"
FM-16824	24"				31.5W	2644	2474				24"	24"	7"
FM-16830	30"				47.7W	3869	3815				30"	30"	8"

Example: FM-16818-BN
For 277V special order add "F" before the finish: PD-16818F-BN

PAREL

DAMP

- Sculptural frame illuminated by a fixed silica strand highlights the natural variegations of Spanish Alabaster orbs
- Driver concealed within the canopy
- Can be mounted on ceiling or wall vertically



*See complementary piece on page 111

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-50446	46"	3000K	90	120-277V	40.9W	4000	2088	ELV TRIAC 0-10V	64,000 hours	**AB AN**	46"	46"	40"

Example: FM-50446-AB

PUCK

DAMP ADA CALIFORNIA JA8 TITLE 24

- Twist-lock installation
- Secondary lens to spread light evenly
- Driver concealed within the fixture
- Can be mounted on ceiling or wall in all orientations



FM-4516-35

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-4514	14"	**-35**	90	120-277V	20W	1500	1464	ELV TRIAC	59,000 hours	**BN**	14"	14"	3"
FM-4516	16"				27W	2300	2152				16"	16"	

Example: FM-4514-35-BN

SEGMENT

DAMP

- Dark walnut wood frame with fabric diffuser
- Urban elegance and LED illlumination softened with a fabric diffuser
- Unique wood grain
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-83922	21"	3000K	90	120 VAC	34.8W	3000	2170	ELV	54,000 hours	**DW**	21"	20"	8"

Example: FM-83922-DW

VELOCE

DAMP

CALIFORNIA JA8 TITLE 24

- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Can be mounted on ceiling or wall in all orientations





*See complementary piece on page 121

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-24818	18"	3000K	90	120/277V	34.8W	2860	1765	ELV TRIAC	36,000 hours	**AB BK TT**	18"	18"	5"

Example: FM-24818-AB

EXTERIOR CEILINGS

BALTHUS

WET · CALIFORNIA JA8 TITLE 24 · IP65

- Clear mouth-blown hammered glass
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" downrods included (additional sold separately)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



*See complementary piece on page 272 and 300

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-W28515	15"	3000K	90	120 VAC	12.5W	495	431	ELV TRIAC	54,000 hours	**BK ORB**	7"	7"	15"	28"	120"

Example: PD-W28515-BK

LUCID

WET · IP65

- Mouth-blown clear and etched opal glass
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Three 12" and one 6" downrods included (additional sold separately)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-W74615	15"	3000K	90	120 VAC	13.2W	860	676	ELV	50,000 hours	**BK**	11"	11"	15"	18"	120"

Example: PD-W74615-BK

MYLA

WET · CALIFORNIA JA8 TITLE 24 · CCT

- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Spin-on round canopy with minimal hardware
- Three 12” and one 6” downrods included (additional sold separately)
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-W24320	20”	**-30 -35 -40**	90	120V AC	60.8W	3220	2738	ELV TRIAC	59,000 hours	**BK**	20”	20”	15”	25”	135”

Example: PD-W24320-30-BK

SUSPENSE

WET · IP65

- Thick clear mouth-blown glass
- Twist-lock glass for seamless appearance
- Three 12” and one 6” downrods included (additional sold separately)
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Driver concealed within the canopy



*See complementary piece on page 294

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H	Suspension MIN	Suspension MAX
PD-W1915	15”	3000K	90	120-277V	15W	1760	1321	ELV 0-10V	50,000 hours	**BK**	10”	10”	4”	14”	85”

Example: PD-W1915-BK

CAMBRIDGE

WET · CALIFORNIA JA8 TITLE 24 · IP65

- Clear glass panels are framed with an etched border
- Driver concealed within the canopy
- Includes hang straight swivel for sloped ceiling installations up to 90 degrees
- Slide-on square canopy with minimal hardware
- Three 12” and one 6” downrods included (additional sold separately)
- Diffuser rotates up to 45 degrees for a modern twist to the classic lantern design
- Driver concealed within the canopy



*See complementary piece on page 275 and 302

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PD-W24216	16”	3000K	90	120/277V	11.7W	800	378	ELV TRIAC	50,000 hours	**BK**	6”	6”	16”

Example: PD-W24216-BK

BLOC

WET · CALIFORNIA JA8 TITLE 24 · IP65 · ADA · DARK SKY

- Silk-screened glass
- IDA Dark Sky compliant in color temperatures of 3000K or lower
- Driver concealed within the fixture
- Can be mounted on ceiling or wall in all orientations



*See complementary piece on page 274

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-W9200	6”	3000K	90	120-277V	16W	2312	1193	ELV 0-10V	50,000 hours	**BK BZ WT**	6”	6”	4”

Example: FM-W9200-WT
Special Order: For 2700K add “-27”;4000K add “-40”; before finish WS-W9101-40-WT

I SPY

- Rotatable multi-axis gimbal ring
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the fixture
- Can be mounted on ceiling or wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-W44205	5"	**-30** **-35** **-40**	90	120-277V	9.1W	1185	759	ELV TRIAC	50,000 hours	**BK** **WT**	5"	5"	3"

Example: FM-W44205-30-BK

KIND

- Wet location rated for outdoor use
- Dimensional diffuser with a clear acrylic exterior finished with a white interior
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- SS finish features stainless steel hardware; BK finish features aluminum hardware
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-W76108	8"	**-27** **-30** **-35**	90	120 VAC	10.8W	600	577	ELV TRIAC	54,000 hours	**BK**	8"	8"	2"

Example: FM-W76108-30-BK

KUBE

WET · CALIFORNIA JA8 TITLE 24 · CCT · IP65

- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-W62205	5”	**-30** **-35** **-40**	90	120 VAC	11.9W	900	795	ELV TRIAC	54,000 hours	**BK** **WT**	5”	5”	5”

Example: FM-W62205-30-BK

PI

WET · CALIFORNIA JA8 TITLE 24 · IP65 · ADA · CCT

- Weather-resistant 316 stainless steel body
- Lightweight injection-molded acrylic diffuser enhances brightness
- Easy twist-lock installation prevents slippage with no visible hardware
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K. Compact 3CCT switch installs within the junction box. Option to pre-select color temperature or adjust in the field
- 277V option available for 9”, 12” and 15” only (special order), not available for 6”
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS065M010AFE-LO1)
- Energy Star for 9”, 12” and 15”
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



FM-W44812

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-W44806	6”	**-27**	90	120 VAC	10.3W	878	600	ELV TRIAC	54,000 hours	**BK** **SS**	6”	6”	3”
FM-W44809	9”	**-30**			16.6W	1571	1082				9”	9”	
FM-W44812	12”	**-35**			27.4W	2566	1550				12”	12”	
FM-W44815	15”	**-30** **-35**			31.3W	2980	1838				15”	15”	2”

Example: FM-W44812-30-BK
For 277V special order, add “F” before the color temperature: FM-W44812F-30-BK

SQUAT

WET · CALIFORNIA JA8 TITLE 24 · CCT

- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Design features an 88-degree beam angle
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on ceiling or wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-W46205	5"	**-30 -35 -40**	90	120 VAC	11.9W	900	647	ELV TRIAC	54,000 hours	**BK WT**	5"	5"	5"

Example: FM-W46205-30-WT

VESSEL

WET · IP65 · ADA · DARK SKY

- Silk-screened glass
- IDA Dark Sky compliant in color temperatures of 3000K or lower
- Driver concealed within the fixture
- Can be mounted on ceiling or wall in all orientations



*See complementary piece on page 297

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
FM-W9100	6"	3000K	90	120-277V	N/A	4000	1218	ELV 0-10V	50,000 hours	**AL BK BZ**	6"	6"	4"

Example: FM-W9100-AL
Special Order: For 2700K add "-27";4000K add "-40"; before finish FM-W9100-40-AL



EXTERIOR SCONCES

CHYZEL

NEW

Enhance your façade with a polished black rectangle framing a clear column of linear rippled glass. Integrated LEDs provide textured illumination that radiates outward, while soft up and Downlighting emerges from the top and bottom of the column.



WS-W98518



WS-W98526

- Up, down, and ambient illumination
- Clear ribbed glass encases an inner PC diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W98518	18"	**-27 -30**	90	120/277 VAC	10.8W	702	494	ELV TRIAC	50,000 hours	**BK**	5"	4"	18"
WS-W98526	26"	**-35 -40**			14.6W	1231	1004						26"

Example: WS-W98518-30-BK

CLOG

NEW

A graceful arch of stone pays tribute to the timeless role of this material in architectural design. Mounted on an oval plate, the Clog outdoor wall luminaire emits light through a central carved line, with warm downlighting reflecting off its metal surface.

WET ADA CCT

- Crafted from uniquely textured natural travertine or basalt stone
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology



WS-W10522



WS-W10516

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W10516	16”	**-27 -30**	90	120 VAC	15.8W	707	86	ELV TRIAC	50,000 hours	**BV/BK WV/AB**	6”	4”	16”
WS-W10522	22”	**-35 -40**			19.4W	872	93				8”		22”

Example: WS-W10516-30-WV/AB

GANDER

NEW

This striking fixture commands attention with its interlocking rectangles in a three-dimensional design, holding an opaque cylinder of LED illumination at its center. Soft up and Downlighting elegantly washes the building's façade.



WET IP65 CCT

- Up or downward illumination with on-off switches within the canopy
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology
- Can be mounted on wall vertically or upside down

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W78520	20"	**-27 -30 -35 -40**	90	120 VAC	34W	1137	760	ELV TRIAC	50,000 hours	**BK**	6"	5"	20"

Example: WS-W78520-30-BK

ICE BAR

NEW

Frozen. This outdoor wall light showcases a substantial gleaming backplate behind a clear glass diffuser. The etched glass interior adds texture, creating a glowing rectangle of soft illumination from concealed LEDs.



WS-W16526

WS-W16534

*See complementary piece on page 174

WET IP65 ADA CCT

- Clear mitered glass encases an interior silk screened glass diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W16526	26"	**-27 -30**	90	120-277 VAC	36.4W	3694	1993	ELV TRIAC 0-10V	50,000 hours	**BK**	6"	3"	26"
WS-W16534	34"	**-35 -40**			42.5W	4371	2301						34"

Example: WS-W16526-30-BK

KANE

NEW

This unique wall luminaire features a half-circle silhouette crafted from curved metal pieces, creating an opaque center. Integrated LEDs cast lines of illumination on either side, producing an ethereal glow of both side and backlighting.



WET IP65 ADA CCT

- Louvered design directs light
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W56524	24”	**-27** **-30** **-35** **-40**	90	120/277 VAC	15.4W	1429	225	ELV TRIAC	50,000 hours	**BK**	6”	4”	24”

Example: WS-W56524-30-BK

KEYHOLE

NEW

This wall light's distinctive keyhole silhouette combines shape and line for a striking design. A dome element emerges from a rectangular backplate, accented by an illuminated line that traces up and around the circular form. Integrated LEDs highlight the hammered graphite texture, delivering both backlighting and Downlighting from the sleek structure.

WET ADA

- Ambient and backlit illumination
- Complementary textured nickel finish
- Driver concealed within the canopy



WS-W20524



WS-W20516

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W20516	16"	3000K	90	120/277 VAC	19.9W	612	383	ELV TRIAC	50,000 hours	**BK/BN**	6"	3"	16"
WS-W20524	24"				26.7W	862	532				9"		24"

Example: WS-W20516-BK/BN



KRIMP

NEW

A striking study in contrasts, this outdoor sconce features an extruded metal frame with a ribbed front and a smooth back. LEDs illuminate the grooved surface from behind, highlighting its textured front arc while casting a wash of light up and down the wall.



WS-W70560



WS-W70548





WS-W70536

WET IP65 ADA

- Ambient and backlit illumination
- Ribbed curved diffuser is highlighted by a bar of light
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W70536	36”				13.8W	800	407						36”
WS-W70548	48”	3000K	90	120/277 VAC	19.1W	1200	618	ELV TRIAC	50,000 hours	**BK**	5”	4”	48”
WS-W70560	60”				27W	1600	841						60”

Example: WS-W70536-BK

MIDNIGHT

NEW

A minimalist rectangular design delivering visual interest and wonderful ambient illumination through mitered glass from the front and side edges of this outdoor LED luminaire.



WS-W66266 WS-W66256 WS-W66246

WET IP65 ADA CCT

- Front and ambient illlumination
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-W66236 WS-W66226 WS-W66216

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W66216	16"				17W	1708	428				6"		16"
WS-W66226	26"				22.7W	2449	582						26"
WS-W66236	36"	**-30**	90	120 VAC	36.2W	3200	610	ELV TRIAC	54,000 hours	**BK**		2"	36"
WS-W66246	46"	**-35** **-40**			47.4W	5026	904				7"		46"
WS-W66256	56"				58.8W	6165	1135						56"
WS-W66266	66"				64.4W	7100	1231						66"

Example: WS-W66256-30-BK

PILLAR

NEW

Enhance your building's façade with the clean rectangular design of this handsome wall light. The opaque striated metal frame adds texture, while tapered beams of LED illumination spread up and down the wall from both ends.



WET IP65 ADA CCT

- Up, down, and ambient illumination
- Striated silhouette
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall vertically and upside down

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W76516	16"	**-27** **-30** **-35** **-40**	90	120/277 VAC	20W	1247	686	ELV TRIAC	50,000 hours	**BK**	6"	3"	16"

Example: WS-W76516-30-BK



QUINCY

NEW

Tall and slim, this outdoor wall light boasts a low-profile metal mount that holds a large vertically-mounted cylinder. The double lamping at its center delivers a seamless flow of up and Downlight through each open end.



WET IP65 ADA CCT

- Up, down, or both illumination. Switch within the canopy allows to control the direction of light
- Central collar delivers ambient accent light
- Adjustable beam angle
- Can be mounted vertically or upside down
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W84520	20”	**-27** **-30** **-35** **-40**	90	120/277 VAC	22.8W	1715	336	ELV TRIAC	50,000 hours	**BK**	5”	4”	20”

Example: WS-W84520-30-BK

SCEPTER

NEW

The distinctive shape of this wall light is sure to start conversations. Sparkling cubic and round cast glass elements, illuminated by integrated LEDs, are elegantly connected by a slim line of metal on a rectangular backlit plate, creating a warm and inviting glow.



*See complementary piece on page 160

WET IP65 ADA

- Front and backlit illumination
- Artisanal textured mitered glass diffuser
- Driver concealed within the canopy
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W68522	22”	3000K	90	120/277 VAC	27.6W	1815	1113	ELV TRIAC	50,000 hours	**BK**	6”	4”	22”

Example: WS-W68522-BK

STRAIT

NEW

This striking wall sconce showcases two angled bronze plates, elegantly divided by a white etched diffuser. LED light emanates outward in a clean, geometric glow, highlighting the fixture's modern design.



WS-W82522 WS-W82516

*See complementary piece on page 140

WET CALIFORNIA JA8 TITLE 24 ADA CCT

- Front and ambient illumination
- AB (Aged Brass) finish indoor only option is available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology
- Can be mounted on wall in all orientations

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W82516	16"	**-27 -30**	90	120 VAC	14.8W	800	239	ELV TRIAC	50,000 hours	**BK**	6"	4"	16"
WS-W82522	22"	**-35 -40**			20.4W	1000	394						22"

Example: WS-W82522-30-BK

AEGIS

WET ADA CCT IP65

- Up and down illlumination
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the fixture
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W22320	20”	**-30** **-35** **-40**	90	120-277V	22.4W	1146	530	ELV TRIAC 0-10V	50,000 hours	**BK**	4”	4”	20”

Example: WS-W22320-30-BK

BALTHUS

WET CALIFORNIA JA8 TITLE 24 IP65 DARK SKY

- Clear mouth-blown hammered glass
- 277V options available for 21” only; not available for 14” or 16”
- IDA Dark Sky compliant
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W28514

*See complementary piece on page 240 and 300

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W28514	13”				10.6W	440	431				6”	7”	13”
WS-W28516	16”	3000K	90	120 VAC	12.5W	495		ELV	54,000 hours	**BK ORB**	7”	9”	16”
WS-W28521	21”				15.1W	614	558				9”	11”	21”

Example: WS-W28514-ORB

BEACON

WET IP65

- Clear mouth-blown hammered seeded glass
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



WS-W92313

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W92313	13”	3000K	90	120/277V	7.6W	535	409	ELV	54,000 hours	**BK**	5”	5”	13”
WS-W92318	18”				14.1W	1055	811				6”	6”	18”

Example: WS-W92313-BK

BLADE

WET ADA

- Back-lit illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



WS-W11722

*See complementary piece on page 149

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W11716	16”	3000K	90	120 VAC	15W	1300	1102	ELV	42,000 hours	**BK**	5”	3”	16”
WS-W11722	22”				21.1W	1863	1610					4”	22”

Example: WS-W11716-BK
For 277V special order add “F” before the finish: WS-W11716F-BK

BLOC

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65 · DARK SKY

- Silk-screened glass
- IDA Dark Sky compliant in color temperatures of 3000K or lower
- Driver concealed within the fixture
- Can be mounted on wall vertically or upside down



*See complementary piece on page 242

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W9201	6”	3000K	90	120-277V	15.8W	4196	1117	ELV 0-10V	50,000 hours	**BK BZ WT**	6”	6”	6”
WS-W9202					24.6W	8392	2260	ELV TRIAC 0-10V					

Example: WS-W9201-BK
Special Order: For 2700K add “-27”;4000K add “-40”; before finish WS-W9201-40-BK

BOXIE

WET · ADA

- Ambient and backlit illlumination
- Complementary two-tone finish
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



WS-W28422

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W28410	10”	3000K	90	120/277V	14.4W	547	383	ELV TRIAC	36,000 hours	**BK/BN**	8”	3”	10”
WS-W28422	22”				19.3W	1027	720						22”
WS-W28434	34”				26.5W	1244	972				10”		34”

Example: WS-W28410-BK/BN

CAMBRIDGE

WET · CALIFORNIA JA8 TITLE 24 · IP65

- Diffuser rotates up to 45 degrees for a modern twist to the classic lantern design
- Clear glass panels are framed with an etched border
- IDA Dark Sky compliant
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



WS-W24225

*See complementary piece on page 242 and 302

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W24211	11"	3000K	90	120/277V	7.6W	500	189	ELV TRIAC	50,000 hours	**BK**	5"	7"	11"
WS-W24218	18"				11.7W	800	378				6"	8"	18"
WS-W24225	25"				16.8W	1200	335						25"

Example: WS-W24211-BK

CHAOS

WET · CALIFORNIA JA8 TITLE 24 · IP65

- Wet location rated for outdoor use
- Fixed sculptural form
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



*See complementary piece on page 13, 83, 84, 85, and 232

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W64824	24"	3000K	90	120-277V	22.7W	1228	768	ELV TRIAC 0-10V	54,000 hours	**BK**	12"	9"	24"

Example: WS-W64824-BK

CUPID

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65

- Up and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W10214	14”	3000K	90	120 VAC	16.1W	700	530	ELV TRIAC	54,000 hours	**BK**	6”	3”	14”

Example: WS-W10214-BK

DAWN

WET · CALIFORNIA JA8 TITLE 24 · IP65

- Glass diffuser
- Indirect and downward illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W2223

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W2216	16”	3000K	90	120 VAC	17W	960	617	ELV	50,000 hours	**BK**	7”	6”	16”
WS-W2223	23”				26W	1440	912				9”	9”	23”

Example: WS-W2216-BK
For 277V special order, add “F” before the finish: WS-W2216F-BK

DORNE

WET · CALIFORNIA JA8 TITLE 24 · IP65

- Contrasting aged brass finish and textured black
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W57014

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W57014	14"	3000K	90	120 VAC	5.6W	400	115	ELV	54,000 hours	**BK/AB**	7"	5"	14"
WS-W57018	18"				7.9W	600	217				8"	6"	18"

Example: WS-W57014-BK/AB

DOUBLE DOWN

WET · ADA · IP65

- Weather resistant finish
- Driver concealed within the fixture



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W13718	18"	3000K	90	120-277V	10.8W	300	286	ELV	50,000 hours	**BK**	5"	4"	18"

Example: WS-W13718-BK

DRAPED

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65 · CCT

- Downward illlumination
- Solid block of cast glass
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



WS-W60412

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W60412	12"	**-27** **-30**	90	120 VAC	15.9W	1350	550	ELV TRIAC	54,000 hours	**BK**	6"	3"	12"
WS-W60418	18"	**-35** **-40**			16.4W		492						18"

Example: WS-W60412-30-BK

DUSK

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65

- Natural wood grain and color variation with each unique piece
- Genuine wood will weather differently over time depending on care, maintenance, exposure and changes in climate
- IDA Dark Sky compliant
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W14214

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W14214	14"	3000K	90	120 VAC	7.8W	400	160	ELV TRIAC	54,000 hours	**BK/DW**	6"	4"	14"
WS-W14220	20"				14.4W	850	340				7"		20"

Example: WS-W14214-BK/DW

ELYSE

WET ADA IP65

- Handcrafted, swirly patterned glass
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-W58012

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W58012	12”	3000K	90	120-277V	11.8W	326	192	ELV TRIAC 0-10V	42,000 hours	**BK**	5”	4”	12”
WS-W58017	17”				13.7W	380	250				7”	5”	17”

Example: WS-W58012-BK

ENIGMA

WET ADA IP65

- Ambient and edge lit illlumination
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



WS-W16218

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W16218	18”	3000K	90	120/277V	16.6W	611	566	ELV	54,000 hours	**BK**	8”	4”	18”
WS-W16227	27”				22.5W	852	789				10”		27”

Example: WS-W16218-BK

FATHOM

WET CALIFORNIA JA8 TITLE 24 ADA

- Art cast glass
- Ambient and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W37922

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W37916	16"	3000K	90	120 VAC	39.2W	1869	1195	ELV TRIAC	54,000 hours	**BK**	6"	3"	16"
WS-W37922	22"												22"

Example: WS-W37916-BK

FLAMME

WET ADA

- Up and down illlumination
- Bent metalwork. Each unique handcrafted piece lends itself to variations in curvature
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W18416	16"	3000K	90	120 VAC	12.1W	1000	273	ELV TRIAC	54,000 hours	**BK**	7"	4"	16"

Example: WS-W18416-BK

FLUE

WET ADA CCT IP65

- Downward illlumination
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- IDA Dark Sky compliant in color temperatures of 3000K or lower
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W36406	6”	**-27** **-30** **-35** **-40**	90	120 VAC	12.1W	1000	320	ELV TRIAC	54,000 hours	**BK**	6”	4”	6”

Example: WS-W36406-30-BK

FORQ

WET ADA IP65

- State of the art LEDs for energy efficient lighting
- Transformer installs within the Junction Box, transformer dimension: 2.0” x 1.4” x 1.0”



WS-W1718

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W1718	18”	3000K	90	120 VAC	31.5W	1405	956	ELV	36,000 hours	**BK** **GH**	6”	4”	18”
WS-W1724	24”				36.6W	2337	1590				8”	6”	24”

Example: WS-W1718-BK
For 277V special order, add “F” before the finish: WS-W1718F-BK

FRAMED

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65

- White ceramic silk-screened mitered glass
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-W73608

*See complementary piece on page 304

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W73608	8"				17.4W	1400	829				8"		
WS-W73614	14"	3000K	90	120 VAC	32W	2621	1608	ELV	54,000 hours	**BK BZ**	14"	4"	8"
WS-W73620	20"				34.1W	2981	1663				20"		

Example: WS-W73608-BZ
For 277V special order, add "F" before the finish: WS-W73608F-BZ

FROST

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65

- Sparkling glass diffuser creates crystalline effect
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-W71918

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W71918	18"	3500K	90	120 VAC	12.9W	1000	583	ELV	54,000 hours	**BK**	7"	3"	18"
WS-W71928	28"				39.1W	3200	1829						28"

Example: WS-W71918-BK

HAZE

WET · CALIFORNIA JA8 TITLE 24 · ADA

- Front and downward illlumination
- Artisanal wispy handcrafted glass diffuser. Each unique piece lends itself to slight variations.
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W64316

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W64316	16”	3000K	90	120V AC	10.9W	623	441	ELV TRIAC	54,000 hours	**BK**	8”	3”	16”
WS-W64322	22”				17.7W	1072	587				11”		22”

Example: WS-W64316-BK

HELIOGRAPH

WET · ADA · CCT · IP65

- Up, down, and ambient illlumination
- Clear acrylic blocks are softened with an etched facade to diffuse light
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-W30418

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W30418	18”	**-27**	90	120/277V	10.2W	168	135	ELV TRIAC	36,000 hours	**BK**	6”	4”	18”
WS-W30424	24”	**-30**			13.9W	288	205						24”
WS-W30432	32”	**-35**			18.9W	355	287						32”
		-40											

Example: WS-W30418-30-BK

HELIX

WET IP65

- Hand-sculpted
- Up and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations

WS-W34517

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W34517	17”	3000K	85	120 VAC	8.5W	327	211	ELV	36,000 hours	**BZ**	6”	5”	17”
WS-W34524	24”										9”	6”	24”

Example: WS-W34517-BZ

HILINE

WET ADA DARK SKY

- Etched glass shield
- IDA Dark Sky compliant
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W2308

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W2308	8”	3000K	90	120 VAC	8W	280	245	ELV	50,000 hours	**BK**	5”	3”	8”
WS-W2312	12”										6”		12”

Example: WS-W2308-BK
For 277V special order, add “F” before the finish: WS-W2308F-BK

LEDGE

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65 · CCT

- White ceramic silk-screened mitered glass
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology



WS-W1420

*See complementary piece on page 306

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W1408	8"				12W	1000	363				6"		8"
WS-W1414	14"	3000K	90	120 VAC	15W	1400	638	ELV	54,000 hours	**AL BK BZ**	5"	4"	14"
WS-W1420	20"				28W	2000	926				8"		20"

Example: WS-W1420-AL
Special Order: For 2700K add "-27"; 3500K add "-35"; before finish WS-W1420-35-AL
For 277V special order, add "F" before the finish: WS-W1420F-AL

MAGLEV

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65 · CCT

- Up and down illlumination
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-W24116

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W24110	10"	**-30**	90	120 VAC	15.3W	710	472	ELV TRIAC	54,000 hours	**AL BK BZ WT**	6"	4"	10"
WS-W24116	16"	**-35 -40**			25.4W	1000	866						16"

Example: WS-W24110-30-BK

MAKO

WET ADA CCT

- Down and indirect illlumination
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W18122	22"	**-30** **-35** **-40**	90	120/277V	16.7W	1500	434	ELV	42,000 hours	**AL** **BK**	5"	4"	22"

Example: WS-W18122-30-AL

MEGA

WET ADA IP65

- Weather resistant finish
- Driver concealed within the fixture
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W70612	11"	3000K	90	120-277V	22W	1621	745	ELV 0-10V	50,000 hours	**BK**	5"	4"	11"

Example: WS-W70612-BK

MIST

WET · CALIFORNIA JA8 TITLE 24 · DARK SKY

- Seedy mouth-blown hammered glass
- Removable glass for easy cleaning
- IDA Dark Sky compliant when mounted in a downward orientation
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W54016

*See complementary piece on page 308

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W54016	16"	3000K	90	120 VAC	4.3W	323	113	ELV	54,000 hours	**BK BZ**	5"	5"	16"
WS-W54020	20"				8W	600	228				7"	6"	20"
WS-W54025	25"				10.5W	800	308					7"	25"

Example: WS-W54016-BK

MONARCH

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65

- Artisanal textured pressed glass diffuser
- Ambient and downward illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



WS-W18218

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W18218	18"	3000K	90	120 VAC	22W	1584	681	ELV TRIAC	54,000 hours	**BK**	6"	4"	18"
WS-W18224	24"				32W	2336	1052				7"		24"

Example: WS-W18218-BK

OMNI

WET ADA IP65

- SS finish features stainless steel hardware, BZ finish features aluminum hardware
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- Piastra glass
- ACLED driverless technology



WS-W35520

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W35516	16"	3000K	85	120 VAC	13W	226	139	ELV	36,000 hours	**BZ**	7"	4"	16"
WS-W35520	20"				17.5W	512	223						20"

Example: WS-W35520-BZ

OSLO

WET IP65

- Mouth-blown etched opal glass
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W18708

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W18708	8"	3000K	90	120 VAC	8.3W	510	204	ELV	54,000 hours	**BK**	8"	9"	7"
WS-W18710	10"				11.9W	760	408				10"	11"	8"

Example: WS-W18708-BK

PANDORA

WET IP65

- Glass diffuser
- Up and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



WS-W30509

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W30507	7"				13.1W	467	310				7"		7"
WS-W30509	9"	3000K	90	120 VAC	22.1W	884	591	ELV	42,000 hours	**BK ORB**	9"	5"	9"
WS-W30511	11"				31W	1089	694				11"		11"

Example: WS-W30507-ORB

PHANTOM

WET CALIFORNIA JA8 TITLE 24 ADA

- SS finish features 316 stainless steel hardware; BZ and GH finish features aluminum hardware
- White ceramic silk-screened mitered glass
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W1616

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W1616	16"	3000K	90	120 VAC	23.7W	2000	642	ELV	54,000 hours	**BZ**	7"	3"	16"
WS-W1621	21"				31.9W	2500	889				8"	4"	21"

Example: WS-W1616-BZ
For 277V special order, add "F" before the finish: WS-W1616F-BZ

RAIN

- Clear seedy glass
- IDA Dark Sky compliant
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W2408

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W2408	8"										6"		8"
WS-W2412	12"	3000K	85	120 VAC	7.9W	327	146	ELV	36,000 hours	**BZ**		3"	12"
WS-W2416	16"										7"		16"

Example: WS-W2408-BZ

REFLECT

- Artisanal textured pressed glass diffuser
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall vertically or upside down



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W20118	18"	3000K	90	120 VAC	10.9W	850	428	ELV TRIAC	54,000 hours	**BK**	5"	3"	18"

Example: WS-W20118-BK

REVERE

WET · CALIFORNIA JA8 TITLE 24 · ADA

- Seedy mouth-blown hammered glass
- Open bottom and removable glass for easy cleaning
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W22120

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W22120	20"	3000K	90	120 VAC	13W	613	245	ELV TRIAC	54,000 hours	**BK**	5"	4"	20"
WS-W22125	25"				15.1W	700	271						25"

Example: WS-W22120-BK

SABRE

ETL · ADA · WET · IP65

- Extruded acrylic diffuser
- Conversion plate included for 4" junction box
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Can be mounted on wall in all orientations

WS-W81619

*See complementary piece on page 204

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W81619	19"	3500K	90	120-277V	15.3W	1342	1267	ELV	54,000 hours	**AL**	19"	3"	3"
WS-W81625	25"				20.2W	1828	1730				25"		

Example: WS-W81619-AL

SHADOW

WET · CALIFORNIA JA8 TITLE 24 · ADA

- Edge-lit LED illlumination prevents glare and hot spots
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



WS-W46824

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W46817	17"	3000K	90	120-277V	14.1W	1256	715	ELV TRIAC 0-10V	60,000 hours	**BK**	7"	3"	17"
WS-W46824	24"				21.3W	2101	1015				8"		24"

Example: WS-W46817-BK

SKYSCRAPER

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65 · CCT

- SS Finish features 316 stainless steel hardware; BZ and BK finish features aluminum hardware
- F1-rated acrylic
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Can be mounted on wall in all orientations



WS-W68618

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W68618	18"	3000K	90	120 VAC	14.9W	1170	697	ELV	54,000 hours	**BK BZ SS**	7"	4"	18"
WS-W68627	27"				21W	1645	942				8"		27"
WS-W68637	37"				45.5W	3106	2140				9"	5"	37"

Example: WS-W68618-SS
Special Order: For 2700K add "-27"; 3500K add "-35"; before finish WS-W68618-35-SS
For 277V special order, add "F" before the finish: WS-W68618F-SS

SQUARE

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65 · DARK SKY

- State of the art LEDs in a geometric form
- IDA Dark Sky compliant when mounted in a downward orientation
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W38608

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W38608	8"	3000K	90	120 VAC	10.7W	800	391	ELV	54,000 hours	**BK**	8"	3"	8"
WS-W38610	10"				18.4W	1400	700			**BZ**	10"		10"

Example: WS-W38608-BK
For 277V special order, add "F" before the finish: WS-W38608F-BK

STAFF

WET · ADA · IP65

- Stainless steel, K2 crystal
- Dual projection: upward and onto mounting surface
- Transformer concealed within the fixture



WS-W19732

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W19732	32"	3500K	90	120 VAC	15.6W	374	298	ELV	53,000 hours	**BK**	5"	4"	32"
WS-W19770	70"				31.2W	1190	713		52,000 hours				70"

Example: WS-W19732-BK

STRUCTURE

WET DARK SKY

- Clear seedy glass
- IDA Dark Sky compliant when mounted in a downward orientation
- Driver concealed within the canopy
- Can be mounted on wall vertically or upside down



WS-W5411

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W5411	11”	3000K	90	120-277V	11W	910	600	ELV	60,000 hours	**BK**	6”	7”	11”
WS-W5416	16”				11.5W		588						16”

Example: WS-W5411-BK

SUSPENSE

WET IP65 DARK SKY

- Thick clear mouth-blown glass
- Twist-lock glass for seamless appearance
- IDA Dark Sky compliant
- Driver concealed within the canopy



WS-W1911

*See complementary piece on page 241

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W1911	11”	3000K	90	120-277V	14W	1780	1336	ELV 0-10V	50,000 hours	**BK**	8”	10”	11”
WS-W1915	15”					1650	1239				10”	13”	15”
WS-W1917	17”				15W	1845	1383				14”	15”	17”

Example: WS-W1911-BK

TWILIGHT

WET · CALIFORNIA JA8 TITLE 24 · ADA · IP65

- Up and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W5516

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W5516	16”	3000K	90	120 VAC	23W	912	637	ELV	54,000 hours	**BK**	7”	4”	16”
WS-W5521	21”				32W	973	946				9”		21”

Example: WS-W5516-BK

TWIST

WET · ADA · IP65

- Up and down illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology
- Can be mounted on wall in all orientations





Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W5620	20”	3000K	90	120 VAC	17W	551	402	ELV	36,000 hours	**BK BZ**	5”	4”	20”

Example: WS-W5620-BZ

TWO IF BY SEA

WET · CALIFORNIA JA8 TITLE 24 · IP65

- Clear mouth-blown hammered glass
- Downlight illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W41912

*See complementary piece on page 310

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W41912	12"				15W	1200	919				5"	6"	12"
WS-W41918	18"	3000K	90	120 VAC			965	ELV TRIAC	54,000 hours	**BK**	6"	8"	18"
WS-W41925	25"				20W	1600	1317				7"	9"	25"

Example: WS-W41912-BK

URBAN

ETL LISTED US · WET · ADA · IP65 · DARK SKY

- Double downward illlumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS-065M010AFE-LO1)
- ACLED driverless technology





WS-W1110

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W1110	10"				12W	720	370				7"		10"
WS-W1116	16"	3000K	90	120 VAC	16W	960	490	ELV	50,000 hours	**BK BZ**		2"	16"
WS-W1122	22"				20W	1200	610				8"		22"

Example: WS-W1110-BK
For 277V special order, add "F" before the finish: WS-W1110F-BK

VESSEL

WET IP65 DARK SKY

- Silk-screened glass
- IDA Dark Sky compliant in color temperatures of 3000K or lower and when mounted in a downward orientation
- Driver concealed within the fixture
- Can be mounted on wall vertically or upside down



WS-W9102

*See complementary piece on page 245

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W9101	6”	3000K	90	120-277V	N/A	1167	959	ELV 0-10V	50,000 hours	**AL BK BZ WT**	4”	4”	6”
WS-W9102	8”					2334	2028	ELV TRIAC 0-10V		**AL BK BZ**			8”

Example: WS-W9101-WT
Special Order: For 2700K add “-27”;4000K add “-40”; before finish WS-W9101-40-WT

VITRINE

WET CALIFORNIA JA8 TITLE 24 ADA IP65

- Seedy mouth-blown hammered glass
- 0-10V dimming option available (special order), unit dimensions: 3.4” x 1.2” x 0.5” (model#LDS-065M010AFE-LO1)
- ACLED driverless technology



WS-W32512

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
WS-W32512	12”	3000K	90	120 VAC	5.1W	260	190	ELV	54,000 hours	**BK BZ**	7”	4”	12”
WS-W32516	16”				11.1W	612	454						16”
WS-W32521	21”				16W	633	588						21”

Example: WS-W32512-BZ

POST MOUNTS

BALTHUS

NEW

Vintage inspiration meets modern technology on this refined transitional post mount light. Integrated LEDs inside emit powerful, energy-efficient light through clear, hammered glass for a shimmering visual effect the eponymous painter would be proud of.



*See complementary piece on page 240 and 272

ETL LISTED US · WET · CALIFORNIA JA8 TITLE 24 · IP65 · DARK SKY

- Clear mouth-blown hammered glass
- Downlight illumination
- Mounts on a 3" maximum diameter post (not included)
- ACLED driverless technology

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PM-W28523	20"	3000K	90	120 VAC	15.7W	637	500	ELV TRIAC	54,000 hours	**BK ORB**	7"	7"	23"

Example: PM-W28523-ORB

CAMBRIDGE

NEW

A classic sensibility with timeless style. This post mount LED light beckons like a glowing lantern to welcome guests to your fine home.



*See complementary piece on page 242 and 275

WET · CALIFORNIA JA8 TITLE 24 · IP65 · DARK SKY

- Diffuser rotates up to 45 degrees for a modern twist to the classic lantern design
- Clear glass panels are framed with an etched border
- Mounts on a 3" maximum diameter post (not included)
- Minimal mounting hardware for easy installation
- ACLED driverless technology

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PM-W24521	21"	3000K	90	120 VAC	15.3W	500	412	ELV TRIAC	50,000 hours	**BK**	8"	8"	21"

Example: PM-W24521-BK

FRAMED

NEW

A simple frame houses a clean box of light on this elegant, understated addition to exteriors. The lines of the frame extend down to a post mount, enhancing the architectural sensibility of the design.



*See complementary piece on page 282

WET

- White ceramic silk-screened mitered glas
- Mounts on a 3" maximum diameter post (not included)
- Minimal mounting hardware for easy installation
- ACLED driverless technology

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PM-W73520	20"	3000K	90	120 VAC	23.9W	2027	1529	ELV TRIAC	50,000 hours	**BK BZ**	6"	6"	20"

Example: PM-W73520-BZ

LEDGE

NEW

A luminous rectangular diffuser, crisp architectural profile and superior construction make this post mount light ideal for transitional and contemporary exteriors. Glowing light provided by integrated LEDs.



*See complementary piece on page 285

WET IP65 CCT DARK SKY

- White ceramic silk-screened mitered glass
- Mounts on a 3" maximum diameter post (not included)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- ACLED driverless technology

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PM-W1417	14"	**-27** **-30** **-35**	90	120 VAC	59.6W	5409	2904	ELV TRIAC	50,000 hours	**AL** **BK** **BZ**	6"	6"	17"

Example: PM-W1417-30-AL



MIST

NEW

A contemporary outdoor post mount light inspired by the handmade colonial era glass window panes. The seeded and hammered glass is captivatingly framed and weather resistant.



*See complementary piece on page 287

WET · CALIFORNIA JA8 TITLE 24 · IP65 · DARK SKY

- Seedy mouth-blown hammered glass
- Removable glass for easy cleaning
- Mounts on a 3” maximum diameter post (not included)
- ACLED driverless technology

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PM-W54523	23”	3000K	90	120 VAC	8.5W	502	232	ELV TRIAC	50,000 hours	**BK BZ**	7”	4”	23”

Example: PM-W54523-BZ

TWO IF BY SEA

NEW

Take shelter from the storm. Like a hard rainfall on the window panes, timeless inspiration is melded with modern technology to create a stunning LED luminaire. Beautiful light diffuses through clear hammered mouth blown glass for a soft glow on all sides of this geometric post mount light.



*See complementary piece on page 296

WET · CALIFORNIA JA8 TITLE 24 · IP65

- Clear mouth-blown hammered glass
- Downlight illumination
- Mounts on a 3” maximum diameter post (not included)
- Minimal mounting hardware for easy installation
- ACLED driverless technology

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PM-W41521	21”	3000K	90	120 VAC	20.6W	1480	1230	ELV TRIAC	50,000 hours	**BK**	7”	7”	21”

Example: PM-W41521-BK

TASK & PICTURE LIGHS

GAVEL

NEW

The clean, precise lines of this task light add style and versatility to modern spaces. Its pivoting head and swing arm allow the light to be directed exactly where needed. For added convenience, it features an integrated USB port and a handy toggle switch.

DAMP

- Adjustable arms for customization
- Pivotable light source for up to 26 degree
- On/off toggle switch
- Built-in USB port at the base of the canopy
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-44518	18"	3000K	90	120 VAC	8W	416	224	ELV TRIAC	50,000 hours	**BK** **BN**	4"	18"	7"

Example: BL-44518-BK

IVERY

NEW

With its geometric design, this task light showcases an aged brass channel paired with beautifully variegated natural Spanish Alabaster, encasing the light source. The swivel head extends for precise LED illumination, while a toggle switch and USB port enhance its convenience.

DAMP

CALIFORNIA JA8 TITLE 24

- Pivotable light source
- Convenient touch switch to control lighting modes, hold-to-dim to adjust brightness
- Built-in USB & USBc port at the base of the canopy
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-26509	9”	3000K	90	120 VAC	12.5W	540	339	N/A	50,000 hours	**AB AN**	6”	4”	9”

Example: BL-26509-AB

LINE UP

NEW

Convenience and style in a task light designed to be recessed into a wall. The light's polished silhouette features a discreet dimple near the top for easy operation—simply push the arm outward to turn the light on, and close it completely to switch it off.

DAMP

CALIFORNIA JA8 TITLE 24

- Push the dimple above the arm to turn on, close the arm fully to turn off
- Pivotable light source
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-19510	10"	3000K	90	120-277 VAC	3.6W	196	142	N/A	50,000 hours	**AB BK BN**	3"	3"	10"

Example: BL-19510-AB

PAVILION

NEW

Featuring a robust black diffuser complemented by elegant aged brass accents, this swing arm sconce delivers a clean, sophisticated aesthetic. Its substantial arm, equipped with three hinges provides effortless positioning of the LED light exactly where you need it.

DAMP

CALIFORNIA JA8 TITLE 24

- Adjustable arms at three pivoting points for customization
- On/off switch on the canopy
- Built-in USB port at the base of the canopy
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-40522	23"	3000K	90	120/277 VAC	7.2W	483	358	ELV TRIAC	50,000 hours	**BK/AB**	5"	23"	5"

Example: BL-40522-BK/AB

WIZARD

NEW

A deep black conical diffuser accented by an aged brass band offers an enchanting elegance to this task light. The rotatable diffuser magically adjusts up, down, left, or right, allowing the LED illumination to be positioned where desired.

DAMP

- Pivotable light source
- On/off toggle switch
- Built-in USB & USBc port at the base of the canopy
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-22510	10"	3000K	90	120/277 VAC	8.1W	430	341	ELV TRIAC	50,000 hours	**BK/AB**	5"	4"	10"

Example: BL-22510-BK/AB

ANSEL

NEW

With its sleek, understated design, this picture light enhances your artwork without drawing attention to itself. The slim, tubular head rotates for precise lighting, allowing you to easily position the beam to perfectly illuminate your chosen piece.



PL-36518



PL-36524

DAMP

CALIFORNIA JA8 TITLE 24

- Rotatable light bar up to 70 degree to direct light as desired
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy



PL-36530

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PL-36518	18"	**-27** **-30** **-35** **-40**	90	120/277 VAC	15.9W	1100	919	ELV TRIAC	50,000 hours	**AB** **BK**	19"	9"	7"
PL-36524	24"				19.5W	1500	1260				24"		
PL-36530	30"				25.5W	1900	1613				30"		

Example: PL-36524-30-AB

DIVER

NEW

Using a minimalist design, this picture light provides uniform illumination that enhances artwork. A refined rectangular backplate mounts elegantly to the wall, while the slim head can be angled to direct a soft, sweeping glow over the piece.



PL-38518



PL-38524

DAMP

CALIFORNIA JA8 TITLE 24

- Light source rotates 90 degrees
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



PL-38530

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PL-38518	18"	**-27 -30 -35 -40**	90	120-277 VAC	10.9W	643	374	ELV TRIAC 0-10V	50,000 hours	**AB BK**	18"	9"	3"
PL-38524	24"				14.7W	926	530				24"		
PL-38530	30"				20.8W	1365	852				30"		

Example: PL-38518-30-AB

INLET

NEW

Magnetic connection. A rounded bar fits seamlessly within a magnetic arm, allowing the picture light's head to rotate. The angle of the LED illumination can be perfectly adjusted to highlight artwork.



PL-48518



PL-48524

DAMP

CALIFORNIA JA8 TITLE 24

CCT

- Rotatable light bar to direct light as desired
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations



PL-48530

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
PL-48518	18"	**-27** **-30** **-35** **-40**	90	120-277 VAC	12.3W	389	279	ELV TRIAC 0-10V	50,000 hours	**AB** **BK**	18"	8"	3"
PL-48524	24"				16.4W	552	385				24"		
PL-48530	30"				23.8W	788	549				30"		

Example: PL-48524-30-AB

ASPIRE

DAMP

- Rotatable light source up to 330 degrees
- On/off toggle switch
- Built-in USB port at the base of the canopy
- Driver concealed within the canopy



*Built-in USB port at the base of the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-46305	5”	3000K	90	120	8.2W	310	125		54,000 hours	**AB BK BN**	5”	4”	5”

Example: BL-46305-AB

BEAM

DAMP

- Adjustable arms for customization
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-20922	22”	3000K	90	120-240V	8W	530	373		50,000 hours	**BK**	3”	22”	8”

Example: BL-20922-BK

NEXUS

DAMP

- Golden black marble accent with unique veining and natural color variation in each distinctive piece
- Articulating light source up to 330 degrees horizontally and 90 degrees vertically
- On/off toggle switch
- Built-in USB port at the base of the canopy
- Driver concealed within the canopy





*Built-in USB port at the base of the canopy

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-54307	7”	3000K	90	120	5.7W	360	59		50,000 hours	**BK/AB**	5”	5”	7”

Example: BL-54307-BK/AB

REFLEX

DAMP

- Adjustable arms for customization
- Arms adjust horizontally up to 180 degrees
- Head rotates with 300 degree adjustability
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-21924	24”	3000K	90	120 VAC	8W	577	455		54,000 hours	**BK BN**	5”	24”	5”

Example: BL-21924-BK

STYLUS

DAMP

CALIFORNIA JA8 TITLE 24

- Articulating light source up to 330 degrees
- Knurled on/off rotary switch integrated into the base of the arm
- Built-in USB port at the base of the canopy
- Driver concealed within the canopy



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-24908	8"	3000K	90	120	6.7W	328	226		60,000 hours	**BK/GO**	5"	8"	11"

Example: BL-24908-BK/GO

STYLUS

DAMP

CALIFORNIA JA8 TITLE 24

- Artiulating wall bracket
- Rotatable head and articulating arm
- Arm adjusts horizontally up to 330 degrees and vertically up to 45 degrees
- Driver installs within the Junction Box, driver dimension: 3.4" x 1.3" x 1.2"



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	L	W	H
BL-24959	59"	3000K	90	120-277V	12W	429	295	ELV TRIAC 0-10V	50,000 hours	**BK/GO**	4"	59"	15"

Example: BL-24959-BK/GO

INDEX

0 TO 60 ... 186

A
ACROPOLIS ... 74, 186
AEGIS ... 272
ALFA ... 74
AMARI ... 75, 148
ANSEL ... 324
ARCS ... 26
ARGO ... 230
ASCOT ... 187
ASPIRE ... 330
AZURE ... 76

B
BAHN ... 187
BALTHUS ... 240, 272, 300
BANTAM ... 148
BARRE ... 188
BASALT ... 76
BATTLESTAR ... 77
BDSM ... 77
BEACON ... 273
BEAM ... 330
BENTLEY ... 78
BLACK JACK ... 79
BLADE ... 149, 273
BLAZE ... 149
BLOC ... 242, 274
BLOOM ... 79
BOXIE ... 274
BRODY ... 230
BURNING MAN ... 80

C
CADENCE ... 188
CADIZ ... 28
CAMBRIA ... 80
CAMBRIDGE ... 242, 275, 302
CARILLION ... 81
CARLISLE ... 168
CASCADE ... 11, 82, 231
CATALONIA ... 231
CATALYST ... 83
CATANIA ... 30
CAVIAR ... 32
CERES ... 189
CHAOS ... 13, 83, 84, 85, 232, 275
CHAUNCEY ... 34
CHRONOS ... 85
CHYZEL ... 248
CINCH ... 189
CINEMA ... 9, 36, 86, 190
CIRCA ... 232
CLARE ... 128
CLASP ... 130
CLIQUE ... 38, 86
CLOG ... 250
CLOUD ... 191
COLISEO ... 87
COPA ... 40, 212
COSMIC ... 87
CUPID ... 276
CURVANA ... 150
CYMBAL ... 88, 150

D
DASHE ... 42
DAWN ... 276
DECO ... 170
DELANEY ... 44
DINK ... 151
DIVER ... 326
DOLMAN ... 46
DORNE ... 277
DOUBLE BUBBLE ... 15, 88, 89, 90, 151, 152
DOUBLE DOWN ... 277
DOWNTON ... 152
DRAPED ... 278
DRIFT ... 91
DUSK ... 278

E
ECHELON ... 91, 92, 233
ELESSAR ... 153
ELIXIR ... 132
ELYSE ... 279
EMBER ... 191
EMBLEM ... 192, 214
ENIGMA ... 279
ENTICE ... 92
EQUILIBRIUM ... 93
EZRA ... 93, 153

F
FATHOM ... 280
FIRENZE ... 94, 154
FLAMME ... 280
FLEUR ... 154
FLEUR DE LIS ... 48
FLUE ... 281
FLUFFY ... 94, 233
FOREVER ... 95
FORQ ... 281
FRAMED ... 282, 304
FRESCO ... 172
FROST ... 282

G
GANDER ... 252
GATSBY ... 192
GAVEL ... 314
GILT ... 95, 216
GLACIER ... 193
GROMMET ... 234

H
HARMONIX ... 96, 97, 155
HAZE ... 283
HELIOGRAPH ... 283
HELIOS ... 97
HELIX ... 284
HILINE ... 284
HUGO ... 98
HUSTLER ... 98

I
ICE ... 193
ICE BAR ... 174, 254
ILIOS ... 99
ILLUSION ... 99, 218
IMPERIAL ... 100
INLET ... 328
INTRASECTION ... 100
I SPY ... 243
IVERY ... 316

J
JACKAL ... 101
JAVELIN ... 194
JULIET ... 101, 194, 195
JUPITER ... 102

K
KANE ... 256
KEYHOLE ... 258
KIEFER ... 50
KILT ... 17, 102, 155
KIND ... 243
KINETIC ... 52, 72, 103
KONSTRUKT ... 103
KRIMP ... 260
KRYPTONITE ... 104
KUBE ... 244

L
LANDED ... 234
LANZA ... 195
LEDGE ... 285, 306
LIGHTSTICK ... 196
LINE UP ... 318
LIOR ... 196
LOFT ... 197
LUCID ... 240
LUTE ... 54
LUZERNE ... 104, 105, 198
LYRIKAL ... 156

M
MAGIC ... 19, 105, 198, 199
MAGLEV ... 285
MAKO ... 286
MARIMBA ... 106
MATRIX ... 235
MEGA ... 286
MEMORY ... 107
MERCER ... 156
METROPOLIS ... 107, 108, 235
MIDNIGHT ... 262
MIES ... 108
MINI LOFT ... 199
MINI VOGUE ... 200
MINX ... 21, 109, 110, 200, 201
MIST ... 287, 308
MONARCH ... 287
MONTAGE ... 56, 176
MYLA ... 241
MYSTIC ... 110

N
NEO ... 201
NEXUS ... 331

O
OMNI ... 288
OPEN BAR ... 202
OPHELIA ... 157
OPUS ... 157
ORACLE ... 158
ORION ... 111
OSLO ... 288
OUT OF THIS WORLD ... 220

P
PALLADIAN ... 158
PANDORA ... 289
PAREL ... 111, 236
PAVILION ... 320
PEARLA ... 222
PHANTOM ... 289
PI ... 244
PILLAR ... 264
PIROUETTE ... 134
PISCES ... 23, 112
PLUM ... 112
POET ... 159
POLAR ... 202
POMPEII ... 58
POSH ... 203
PRESTON ... 224
PUCK ... 236
PUNK ... 113

Q
QUARRY ... 203
QUINCY ... 266

R
RACETRACK ... 113
RAIN ... 290
REFLECT ... 290
REFLEX ... 331
REGAL ... 204
REVERE ... 291
RHIANNON ... 114
RIBEYE ... 178
RIDDLE ... 115
ROLLINS ... 115
RONAN ... 60
ROWLINGS ... 159
ROYCE ... 136

S
SABER ... 116
SABRE ... 204, 291
SARTRE ... 160
SCEPTER ... 160, 268
SEGMENT ... 237
SENSU ... 161
SERENITY ... 116, 161
SHADOW ... 292
SIREN ... 62
SKEIN ... 180
SKYSCRAPER ... 292
SLIDE ... 162
SOFIA ... 205
SQUARE ... 293
SQUAT ... 245
STACKED ... 117
STAFF ... 293
STANCHION ... 138
STEM ... 162
STORM CHASER ... 64
STRAIT ... 140, 270
STRUCTURE ... 294
STYLUS ... 332
SUSPENSE ... 241, 294
SWALE ... 182
SWERVE ... 163
SWIRLY ... 66
SWOOP ... 205
SYBIL ... 68
SYDNEY ... 117
SYNOPSIS ... 118

T
TABLEAU ... 184, 226
TAFFETA ... 142
TANDEM ... 118, 206
TANGO ... 119
TAPER ... 119
TEMPEST ... 120
TENDRIL ... 70
TERRA ... 206
THE RING ... 120
TIDAL ... 121
TINZEL ... 228
TOULOUSE ... 144
TOWER ... 146
TRIBECA ... 163
TWILIGHT ... 295
TWIST ... 295
TWO IF BY SEA ... 296, 310

U
URBAN ... 296

V
VANDER ... 164
VELOCE ... 121, 237
VERMEIL ... 164
VESSEL ... 245, 297
VESTA ... 122
VITRINE ... 297
VODKA ... 207
VOGUE ... 207, 208

W
WIZARD ... 322
WOVEN ... 122

Y
YOLO ... 123

Z
ZELDA ... 123
ZENYA ... 124
ZURICH ... 165

Within these pages, you will find plentiful products that meet ADA and Dark Sky compliance, many with universal voltage input (120V–277V) or other custom order options, all in a variety of sizes to permit maximum versatility in style and application. We also invite you to explore the possibilities of working with a true manufacturer, where your needs may require something custom. For more information, please contact: custom@modernforms.com

Headquarters

Tel: 800.526.2588
Fax: 800.526.2585

44 Harbor Park Dr
Port Washington, NY 11050

South East

1600 Distribution Ct
Lithia Springs, GA 30122

Central

1700 South J Elmer Weaver Freeway
Suite 100
Cedar Hill, TX 75104

West

1750 S Archibald Ave
Ontario, CA 91761

Consult our manufacturing facility to take advantage of our custom capabilities in large quantities.
For up to date product specifications and assistance please visit **modernforms.com** or call **1-800-526-2588**

© Copyright 2025 Modern Forms

MODERNFORMS.COM

MODERN FORMS®

Modern Forms technology and designs are protected by several patents and patent applications. Modern Forms will not hesitate to enforce its intellectual property rights through injunctive relief and seek further relief through damages if it has reason to believe its patents are being infringed.

Copyright © 2025 Modern Forms. All rights reserved. This catalog is copyrighted and Modern Forms will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.

Modern Forms retains the right to modify the design of its products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

MODERNFORMS.COM